

GUERNSEY STATUTORY INSTRUMENT 1976 NO 5

IMPORT AND EXPORT (CONTROL) (GUERNSEY) LAW, 1946

THE IMPORT AND EXPORT OF GOODS (CONTROL) (GUERNSEY) ORDER, 1971

AMENDMENT TO OPEN GENERAL IMPORT LICENCE

WHEREAS by the Import and Export of Goods (Control) (Guernsey) Order, 1971 dated the 16 March 1971, (a), the importation into Guernsey of goods consigned from a place outside the United Kingdom, the Island of Jersey, the other Islands of the Bailiwick of Guernsey or the Isle of Man is prohibited unless under the authority of a licence granted by or on behalf of the States Board of Administration.

NOW THEREFORE the States Board of Administration, in exercise of its powers under Article 2 of the above-mentioned Order, hereby authorises as follows:-

1. The Open General Import Licence made by the States Board of Administration and dated the eleventh day of November, nineteen hundred and seventy-five, (b), as amended is hereby further amended as follows:-
 - (a) In Article 2 for "Schedule 1, 2 or 3" there shall be substituted "Schedule 1, 2, 3 or 6".
 - (b) In Article 6 (1) paragraphs (iii), (iv) and (v) shall be deleted.
 - (c) Article 6 (2) shall be deleted.
 - (d) In Schedule 1 the following entry shall be omitted:-

| | | |
|-----------|--------|----|
| "ex 24.02 | Cigars | D" |
|-----------|--------|----|
 - (e) After Schedule 5 there shall be added as Schedule 6 the Schedule hereto.
2. This Amendment shall take effect on the eleventh day of February, nineteen hundred and seventy-six, and may be modified or revoked at any time by the States Board of Administration.

Dated this tenth day of February, nineteen hundred and
seventy six.

J G DOREY (Signed)

J G Dorey
President of the States Board of Administration
for and on behalf of the Board.

(a) S.I. 1971 No 13

(b) S.I. 1975 No 48

EXPLANATORY NOTE

(This Note is not part of the Amendment to the Open General Import Licence but is intended to indicate its general purport.)

The effect of this Amendment is that the species of fauna and flora and parts and derivatives which are specified in the new Schedule 6 may not be imported under the authority of the Licence. Cigars originating in, or consigned to Guernsey from, the Dollar Area may now be imported under the authority of the Licence.

SCHEDULE 6

ENDANGERED WILDLIFE

Fauna, alive or dead, the following:-

| Family | Kind |
|----------------|---|
| | MAMMALIA |
| | Marsupialia |
| Macropodidae | Bettongia lesueur Bettongia penicillata Bettongia tropica Caloprymnus campestris Dendrolagus inustus Dendrolagus ursinus Lagorchestes hirsutus Lagostrophus fasciatus Macropus parma Onychogalea frenata Onychogalea lunata |
| Phalangeridae | Wyulda squamicaudata |
| Burramyidae | Burramys parvus |
| Vombatidae | Lasiornhinus gillespiei |
| Peramelidae | Chaeropus ecaudatus Macrotis lagotis Macrotis leucura Perameles bougainville |
| Dasyuridae | Antechinomys laniger Myrmecobius fasciatus rufus Planigale subtilissima Planigale tenuirostris Sminthopsis longicaudata Sminthopsis psammophila |
| Thylacinidae | Thylacinus cynocephalus |
| | Insectivora |
| Erinaceidae | Erinaceus frontalis |
| | Primates |
| Lemuridae | Allocebus, any species Cheirogaleus, any species Hapalemur, any species Lemur, any species Lepilemur, any species Mirocebus, any species Phaner, any species |
| Lorisidae | Loris tardigradus Nycticebus coucang |
| Indriidae | Avahi, any species Indri, any species Propithecus, any species |
| Daubentoniidae | Daubentonia madagascariensis |
| Callithricidae | Callimico goeldii Leontopithecus (=Leontideus), any species |

| Family | Kind |
|------------------|--|
| | Primates - continued |
| Cebidae | <i>Alouatta villosa palliata</i> <i>Ateles geoffroyi frontatus</i> <i>Ateles geoffroyi panamensis</i> <i>Brachyteles arachnoides</i> Cacajao, any species <i>Cebus capucinus</i> <i>Chiropotes albinasus</i> <i>Saimiri oerstedii</i> |
| Cercopithecoidea | <i>Cercocebus galeritus galeritus</i> <i>Colobus badius gordonorum</i> <i>Colobus badius kirkii</i> <i>Colobus badius rufomitratu</i> <i>Colobus verus</i> <i>Macaca silenus</i> <i>Macaca sylvanus</i> <i>Nasalis larvatus</i> <i>Presbytis entellus</i> <i>Presbytis geei</i> <i>Presbytis johnii</i> <i>Presbytis pileatus</i> <i>Pygathrix nemaeus</i> <i>Rhinopithecus roxellanae</i> <i>Simia concolor</i> |
| Hylobatidae | <i>Hylobates</i> , any species <i>Symphalangus syndactylus</i> |
| Pongidae | <i>Gorilla gorilla</i> <i>Pan paniscus</i> <i>Pan troglodytes</i> <i>Pongo pygmaeus abelii</i> <i>Pongo pygmaeus pygmaeus</i> |
| | Edentata |
| Dasyproctidae | <i>Priodontes giganteus</i> (= <i>Priodontes maximus</i>) |
| Myrmecophagidae | <i>Myrmecophaga tridactyla</i> <i>Tamandua tetradactyla chapadensis</i> |
| Bradypodidae | <i>Bradypus boliviensis</i> |
| | Pholidota |
| Manidae | <i>Manis crassicaudata</i> <i>Manis javanica</i> <i>Manis pentadactyla</i> <i>Manis temmincki</i> |
| | Lagomorpha |
| Leporidae | <i>Caprolagus hispidus</i> <i>Nesolagus netscheri</i> <i>Romerolagus diazi</i> |
| | Rodentia |
| Heteromyidae | <i>Dipodomys phillipsii phillipsii</i> |
| Sciuridae | <i>Cynomys mexicanus</i> <i>Lariscus hosei</i> <i>Ratufa</i> , any species |
| Castoridae | <i>Castor canadensis frondator</i> <i>Castor canadensis repentinus</i> <i>Castor canadensis mexicanus</i> <i>Castor fiber birulai</i> |

| Family | - 3 - | Kind |
|-----------------|-------|--|
| | | Rodentia - continued |
| Cricetidae | | Ondatra zibethicus bernardi |
| Muridae | | Leporillus conditor Notomys aquilo Pseudomys fieldi Pseudomys fumeus Pseudomys novaehollandiae Pseudomys occidentalis Pseudomys praeconis Pseudomys shortridgei Xeromys myoides Zyzomys pedunculatus |
| Chinchillidae | | Chinchilla brevicaudata boliviana |
| | | Cetacea |
| Platanistidae | | Platanista gangetica |
| Eschrichtidae | | Eschrichtius robustus (= Eschrichtius gibbosus = Eschrichtius glaucus) |
| Balaenopteridae | | Balaenoptera musculus Megaptera novaeangliae |
| Balaenidae | | Balaena mysticetus Eubalaena, any species |
| | | Carnivora |
| Canidae | | Canis lupus crassodon Canis lupus irremotus Canis lupus monstrabilis Canis lupus pallipes Chrysocyon brachyurus Cuon alpinus Vulpes velox hebes |
| Ursidae | | Helarctos malayanus Ursus americanus emmonsii Ursus arctos Ursus maritimus (= Thalarctos maritimus) |
| Procyonidae | | Ailurus fulgens |
| Mustelidae | | Aonyx microdon Enhydra lutris nereis Lutra felina Lutra longicaudis (= Lutra annectens = Lutra platensis) Lutra provocax Martes americana atrata Mustela nigripes Pteronura brasiliensis |
| Viverridae | | Cynogale bennetti Helogale derbianus Prionodon linsang Prionodon padicolor |
| Hyaenidae | | Hyaena brunnea |
| Felidae | | Acinonyx jubatus Felis bengalensis bengalensis Felis caracal (= Caracal caracal) Felis colocolo budini Felis colocolo crespoi Felis colocolo pajeros Felis concolor azteca Felis concolor coryi Felis concolor costaricensis Felis concolor cougar Felis concolor mayensis |

| Family | Kind |
|-----------------|---|
| | - 4 - |
| | Carnivora - continued |
| Felidae | <i>Felis concolor missoulensis</i> <i>Felis jacobita</i> <i>Felis lynx isabellina</i> <i>Felis rufa escuinapae</i> (= <i>Lynx rufa</i> <i>escuinapae</i>) <i>Felis marmorata</i> <i>Felis nigripes</i> <i>Felis pardalis</i> <i>Felis planiceps</i> <i>Felis serval</i> <i>Felis temmincki</i> <i>Felis tigrina</i> <i>Felis wiedii</i> <i>Felis yagouaroundi</i> <i>Neofelis nebulosa</i> (= <i>Panthera nebulosa</i>) <i>Panthera leo persica</i> <i>Panthera onca</i> <i>Panthera pardus</i> <i>Panthera tigris</i> <i>Panthera uncia</i> |
| | Pinnipedia |
| Otariidae | <i>Arctocephalus australis</i> <i>Arctocephalus galapagoensis</i> <i>Arctocephalus philippi</i> <i>Arctocephalus townsendi</i> |
| Phocidae | <i>Mirounga angustirostris</i> <i>Mirounga australis</i> <i>Mirounga leonina</i> <i>Monachus, any species</i> |
| | Tubulidentata |
| Orycteropodidae | <i>Orycteropus afer</i> |
| | Proboscidea |
| Elephantidae | <i>Elephas maximus</i> |
| | Sirenia |
| Dugongidae | <i>Dugong dugon</i> |
| Trichechidae | <i>Trichechus inunguis</i> <i>Trichechus manatus</i> <i>Trichechus senegalensis</i> |
| | Perissodactyla |
| Equidae | <i>Equus hemionus</i> <i>Equus przewalskii</i> <i>Equus zebra zebra</i> |
| Tapiridae | <i>Tapirus bairdii</i> <i>Tapirus indicus</i> <i>Tapirus pinchaque</i> <i>Tapirus terrestris</i> |
| Rhinocerotidae | <i>Ceratotherium simum cottoni</i> <i>Diceros bicornis</i> <i>Didermocerus sumatrensis</i> <i>Rhinoceros sondaicus</i> <i>Rhinoceros unicornis</i> |

| Family | Kind |
|----------------|--|
| | Artiodactyla |
| Suidae | Babyrousa babyrussa Sus salvanius |
| Hippopotamidae | Choeropus liberiensis |
| Camelidae | Camelus bactrianus Vicugna vicugna |
| Cervidae | Axis calamianensis Axis kuhli Axis porcinus annamiticus Blastocerus dichotomus Cervus duvauceli Cervus elaphus bactrianus Cervus elaphus hanglu Cervus eldi Hippocamelus antisienensis Hippocamelus bisulcus Moschus moschiferus moschiferus Ozotoceros bezoarticus Pudu mephistophiles Pudu pudu |
| Antilocapridae | Antilocapra americana mexicana Antilocapra americana pensinsularis Antilocapra americana sonoriensis |
| Bovidae | Addax nasomaculatus Bison bison athabascae Bos gaurus Bos mutus (= Bos grunniens) Bubalus depressicornis (= Anoa depressicornis) Bubalus mindorensis (= Anoa mindorensis) Bubalus quarlesi (= Anoa quarlesi) Capra falconeri Capricornis sumatraensis Cephalophus monticola Damaliscus dorcas dorcas Hippotragus niger variani Kobus leche Nemorhaedus goral Oryx dammah (= Oryx tao) Oryx leucoryx Novibos sauveli (= Bos sauveli) Ovis ammon Ovis canadensis Ovis orientalis ophion Ovis vignei Pantholops hodgsoni Rupicapra rupicapra ornata Saiga tatarica mongolica |

| Family | Kind |
|------------------|--|
| | AMPHIBIA |
| | Urodela |
| Ambystomidae | Ambystoma dumerilii Ambystoma lermaensis Ambystoma mexicanum |
| Cryptobranchidae | Andrias davidianus (= Megalobatrachus davidianus) Andrias japonicus (= Megalobatrachus japonicus) |
| | Salientia |
| Bufo | Bufo periglenes Bufo retiformis Bufo superciliaris Nectophrynoides, any species |
| Atelopodidae | Atelopus varius zeteki |
| | REPTILIA |
| | Crocodylia |
| Alligatoridae | Alligator mississippiensis Alligator sinensis Caiman crocodilus apaporiensis Caiman crocodilus crocodilus Caiman crocodilus fuscus (= Caiman crocodilus chiapasius) Caiman crocodilus yacare Caiman latirostris Melanosuchus niger Paleosuchus palpebrosus Paleosuchus trigonatus |
| Crocodylidae | Crocodylus acutus Crocodylus cataphractus Crocodylus intermedius Crocodylus johnsoni Crocodylus moreletii Crocodylus niloticus Crocodylus novaeguineae mindorensis Crocodylus novaeguineae novaeguineae Crocodylus palustris kimbula Crocodylus palustris palustris Crocodylus porosus Crocodylus rhombifer Crocodylus siamensis Osteoclaemus tetraspis osborni Osteoclaemus tetraspis tetraspis Tomistoma schlegelii |
| Gavialidae | Gavialis gangeticus |
| | Testudines |
| Emydidae | Batagur baska Clemmys muhlenbergi Geoclemys hamiltonii (= Demonica hamiltonii) Geoemyda tricarinata (= Nicoria tricarinata = Melanocheilus tricarinata) Kachuga tecta tecta Morenia ocellata Terrapene coahuila |

| Family | Kind |
|----------------|---|
| Testudinidae | Chersine, any species Geochelone (= Testudo), any species Gopherus, any species Homopus, any species Kinixys, any species Malacochersus, any species Pyxis, any species Testudo, any species |
| Cheloniidae | Caretta caretta Chelonia depressa Chelonia mydas Eretmochelys imbricata bissa Eretmochelys imbricata imbricata Lepidochelys kempii Lepidochelys olivacea |
| Dermochelyidae | Dermochelys coriacea |
| Pelomedusidae | Podocnemis, any species |
| Trionychidae | Lissemys punctata punctata Trionyx ater Trionyx gangeticus Trionyx hurum Trionyx nigricans |
| Chelidae | Pseudemydura umbrina |
| | Sauria |
| Teiidae | Cnemidophorus hyperythrus |
| Iguanidae | Amblyrhynchus cristatus Conolophus pallidus Conolophus subcristatus Phrynosoma coronatum blainvillei |
| Helodermatidae | Heloderma horridum Heloderma sunspectum |
| Varanidae | Varanus, any species |
| | Serpentes |
| Boidae | Constrictor constrictor Epicrates cenchris cenchris Epicrates inornatas inornatus Epicrates subflavus Eunectes notaeus Python, any species |
| Colubridae | Cyclagras gigas Elachistodon westermanni Pseudoboa cloelia Thamnophis elegans hammondi |
| | Rhynchocephalia |
| Sphenodontidae | Sphenodon punctatus |
| | PISCES |
| | Acipenseriformes |
| Acipenseridae | Acipenser brevirostrum Acipenser fulvescens Acipenser oxyrhynchus Acipenser sturio |
| | Osteoglossiformes |
| Osteoglossidae | Arapaima gigas Scleropages formosus |
| | Salmoniformes |
| Salmonidae | Coregonus alpenae Salmo chrysogaster Stenodus leucichthys leucichthys |

| Family | Kind |
|-------------------|--|
| | Cypriniformes |
| Catostomidae | Chasmistes cujus |
| Cyprinidae | Piagopterus argentissimus Probarbus jullieni Ptychocheilus lucius |
| | Atheriniformes |
| Cyprinodontidae | Cynolebias constanciae Cynolebias marmoratus Cynolebias minimus Cynolebias opalescens Cynolebias splendens |
| Poeciliidae | Xiphophorus couchianus |
| | Coelacanthiformes |
| Coelacanthidae | Latimeria chalumnae |
| | Ceratodiformes |
| Ceratodidae | Neoceratodus forsteri |
| | Siluriformes |
| Schilbeidae | Pangasianodon gigas |
| | Perciformes |
| Percidae | Stizostedion vitreum glaucum |
| | AVES |
| | Sphenisciformes |
| Spheniscidae | Spheniscus demersus |
| | Rheiformes |
| Rheidae | Pterocnemia pennata garleppi Pterocnemia pennata pennata Rhea americana albescens |
| | Tinamiformes |
| Tinamidae | Rhynchotus rufescens maculicollis Rhynchotus rufescens pallescens Rhynchotus rufescens rufescens Tinamus solitarius |
| | Podicipediformes |
| Podicipedidae | Podilymbus gigas |
| | Procellariiformes |
| Diomedeidae | Diomedea albatrus |
| | Pelecaniformes |
| Sulidae | Sula abbotti |
| Fregatidae | Fregata andrewsi |
| Pelecanidae | Pelecanus crispus |
| | Ciconiiformes |
| Ciconiidae | Ciconia ciconia boyciana Ciconis nigra |
| Threskiornithidae | Geronticus calvus Nipponia nippon Platalea leucorodia |
| Phoenicopteridae | Phoenicoparrus andinus Phoenicoparrus jamesi Phoenicopterus ruber chilensis |

| Family | Kind |
|---------------|--|
| | Anseriformes |
| Anatidae | Anas aucklandica aucklandica Anas aucklandica chlorotis Anas aucklandica nesiotis Anas bernieri Anas diazi Anas laysanensis Anas oustaleti Anser albifrons gambelli Branta canadensis leucopareia Branta ruficollis Branta sandvicensis Cairina scutulata Coscoroba coscoroba Cygnus bewickii jankowskii Cygnus melancorpus Dendrocygna arborea Rhodonessa caryophyllacea Sarkidiornis melanotos |
| | Falconiformes |
| Cathartidae | Any species of any genus of the family Cathartidae |
| Pandionidae | Any species of any genus of the family Pandionidae |
| Accipitridae | Any species of any genus of the family Accipitridae |
| Sagittariidae | Any species of any genus of the family Sagittariidae |
| Falconidae | Any species of any genus of the family Falconidae |
| | Galliformes |
| Megapodiidae | Macrocephalon maleo Megapodius freycinet abbottii Megapodius freycinet nicobariensis |
| Cracidae | Crax blumenbachii Mitu mitu mitu Oreophasis derbianus Pipile jacutinga Pipile pipile pipile |
| Tetraonidae | Tympanuchus cupido attwateri Tympanuchus cupido pinnatus |
| Phasianidae | Argusianus argus Catreus wallichii Colinus virginianus ridgwayi Crossoptilon crossoptilon Crossoptilon manchuricum Cyrtonyx montezumae mearnsi Cyrtonyx montezumae merriami Cyrtonyx montezumae montezumae Francolinus ochropectus Francolinus swierstrai Gallus sonneratii Ithaginis cruentus Lophophorus impejanus Lophophorus lhuysii Lophophorus sclateri Lophura edwardsi Lophura imperialis Lophura swinhoii Polyplectron bicalcaratum Polyplectron emphanum Polyplectron germaini Polyplectron malacense |

| Family | Kind |
|-------------------------|---|
| | Galliformes - continued |
| Phasianidae - continued | Syrnaticus elliotti Syrnaticus humiae Syrnaticus mikado Tetraogallus caspius Tetraogallus tibetanus Tragopan blythii Tragopan caboti Tragopan melanocephalus |
| | Gruiformes |
| Gruidae | Balearica regulorum Grus americana Grus canadensis nesiotes Grus canadensis pratensis Grus canadensis pulla Grus japonensis Grus leucogeranus Grus monacha Grus nigricollis Grus vipio |
| Rallidae | Gallirallus australis hectori Tricholimnas sylvestris |
| Rhynochetidae | Rhynochetos jubatus |
| Otididae | Chlamydotis undulata Choriotis nigriceps Eupodotis bengalensis Otis tarda |
| | Charadriiformes |
| Scolopacidae | Numenius borealis Numenius minutus Numenius tenuirostris Tringa guttifer |
| Laridae | Larus brunneicephalus Larus relictus |
| | Columbiformes |
| Columbidae | Caleonax nicobarica pelewensis Ducula mindorensis Gallicolumba luzonica Goura cristata Goura scheepmakeri Goura victoria |
| | Psittaciformes |
| Psittacidae | Amazona guildingii Amazona imperialis Amazona leucocephala Amazona pretrei pretrei Amazona rhodocorytha Amazona versicolor Amazona vinacea Amazona vittata Anodorhynchus glaucus Anodorhynchus leari Aratinga guaruba Coracopsis nigra barklyi Cyanopsitta spixii Cyanoramphus auriceps forbesi Cyanoramphus malherbi Cyanoramphus novaezelandiae Cyanoramphus unicolor |

| Family | Kind |
|-------------------------|---|
| Psittacidae - continued | Psittaciformes - continued |
| | <i>Eunymphicus cornutus</i> |
| | <i>Geopsittacus occidentalis</i> |
| | <i>Neophema chrysogaster</i> |
| | <i>Neophema splendida</i> |
| | <i>Pionopsitta pileata</i> |
| | <i>Poicephalus robustus</i> |
| | <i>Probosciger aterrimus</i> |
| | <i>Prosopeia personata</i> |
| | <i>Psephotus chrysopterygius</i> |
| | <i>Psephotus pulcherrimus</i> |
| | <i>Psittacula krameri echo</i> |
| | <i>Psittacus erithacus princeps</i> |
| | <i>Pyrrhura cruentata</i> |
| | <i>Rhynchopsitta pachyrhyncha</i> |
| | <i>Strigops habroptilus</i> |
| | <i>Tanygnathus lucionensis</i> |
| | Apodiformes |
| Trochilidae | <i>Ramphodon dohrnii</i> |
| | Cuculiformes |
| Musophagidae | <i>Gallirex porphyreolophus</i> |
| | <i>Tauraco corythaix</i> |
| | Trogoniformes |
| Trogonidae | <i>Pharomachrus mocinno costaricensis</i> |
| | <i>Pharomachrus mocinno mocinno</i> |
| | Strigiformes |
| Tytonidae | Any species of any genus of the family Tytonidae |
| Strigidae | Any species of any genus of the family Strigidae |
| | Coraciiformes |
| Bucerotidae | <i>Aceros narcondami</i> |
| | <i>Buceros bicornis</i> |
| | <i>Buceros hydrocorax hydrocorax</i> |
| | <i>Buceros rhinoceros rhinoceros</i> |
| | <i>Rhinoplax vigil</i> |
| | Piciformes |
| Picidae | <i>Campephilus imperialis</i> |
| | <i>Dryocopus javensis richardsi</i> |
| | <i>Picus squamatus flavirostris</i> |
| | Passeriformes |
| Cotingidae | <i>Cotinga maculata</i> |
| | <i>Rupicola peruviana</i> |
| | <i>Rupicola rupicola</i> |
| | <i>Xipholena atro-purpurea</i> |
| Pittidae | <i>Pitta brachyura nympha</i> |
| | <i>Pitta kochi</i> |
| Atrichornithidae | <i>Atrichornis clamosa</i> |
| Hirundinidae | <i>Pseudochelidon sirintarae</i> |
| Paradisaeidae | Any species of any genus of the family Paradisaeidae |
| Muscicapidae | <i>Amytornis goyderi</i> |
| | <i>Dasyornis brachypterus longirostris</i> |
| | <i>Dasyornis broadbenti littoralis</i> |
| | <i>Musicapa ruecki</i> |

| Family | Kind |
|--------------------------|---|
| Muscicapidae - continued | Passeriformes - continued |
| | <i>Picathartes gymnocephalus</i> |
| | <i>Picathartes oreas</i> |
| | <i>Psophodes nigrogularis</i> |
| Sturnidae | <i>Leucospas rothschildii</i> |
| Meliphagidae | <i>Meliphaga cassidix</i> |
| Zosteropidae | <i>Zosterops albogularis</i> |
| Fringillidae | <i>Spinus cucullatus</i> |
| | <i>Spinus yarellii</i> |
| | MOLLUSCA |
| | Naiadoida |
| Unionidae | <i>Conradilla caclata</i> |
| | <i>Cyprogenia aberti</i> |
| | <i>Dromus dromas</i> |
| | <i>Epioblasma florentina curtisi</i> |
| | (= <i>Dysnomia florentina curtisi</i>) |
| | <i>Epioblasma florentina florentina</i> |
| | (= <i>Dysnomia florentina florentina</i>) |
| | <i>Epioblasma sampsoni</i> |
| | (= <i>Dysnomia sampsoni</i>) |
| | <i>Epioblasma sulcata perobliqua</i> |
| | (= <i>Dysnomia sulcata perobliqua</i>) |
| | <i>Epioblasma torulosa gubernaculum</i> |
| | (= <i>Dysnomia torulosa gubernaculum</i>) |
| | <i>Epioblasma torulosa rangiana</i> |
| | (= <i>Dysnomia torulosa rangiana</i>) |
| | <i>Epioblasma torulosa torulosa</i> |
| | (= <i>Dysnomia torulosa torulosa</i>) |
| | <i>Epioblasma turgidula</i> |
| | (= <i>Dysnomia turgidula</i>) |
| | <i>Epioblasma walkeri</i> |
| | (= <i>Dysnomia walkeri</i>) |
| | <i>Fusconaia cuneolus</i> |
| | <i>Fusconaia edgariana</i> |
| | <i>Fusconaia subrotunda</i> |
| | <i>Lampsilis brevicula</i> |
| | <i>Lampsilis higginsii</i> |
| | <i>Lampsilis orbiculata orbiculata</i> |
| | <i>Lampsilis satura</i> |
| | <i>Lampsilis virescens</i> |
| | <i>Lexintonia dolabelloides</i> |
| | <i>Pleurobema clava</i> |
| | <i>Plethobasis cicatricosus</i> |
| | <i>Plethobasis cooperianus</i> |
| | <i>Pleurobema plenum</i> |
| | <i>Potamilus capax</i> (= <i>Proptera capax</i>) |
| | <i>Quadrula intermedia</i> |
| | <i>Quadrula sparsa</i> |
| | <i>Toxolasma cylindrella</i> (= <i>Carundulina cylindrella</i>) |
| | <i>Unio nickliniana</i> (= <i>Megaloniais nickliniana</i>) |
| | <i>Unio tampicoensis tecomatensis</i> (= <i>Lampsilis Tampicoensis tecomatensis</i>) |
| | <i>Villosa trabalis</i> (= <i>Micromya trabalis</i>) |
| | Stylommatophora |
| Camaenidae | <i>Papustyla pulcherrima</i> (= <i>Papuina pulcherrima</i>) |
| Paraphantidae | <i>Paraphanta</i> , any species |

| Family | Kind |
|-------------|---------------------------|
| Hydrobiidae | Prosobranchia |
| | Coahuilix hubbsi |
| | Cochliopina milleri |
| | Durangonella coahuilae |
| | Mexipyrgus carranzae |
| | Mexipyrgus churinceanus |
| | Mexipyrgus escobedae |
| | Mexipyrgus lugoi |
| | Mexipyrgus mojarralis |
| | Mexipyrgus multilineatus |
| | Mexithauma quadripaludium |
| | Nymphophilus minckleyi |
| | Paludiscala caramba |

INSECTA

| | |
|--------------|--------------------------|
| | Lepidoptera |
| Papilionidae | Parnassius apollo apollo |

Flora, alive or dead, the following

| | |
|-----------------|---|
| Apocynaceae | Pachypodium, any species |
| Araceae | Alocasia sanderana |
| | Alocasia zebrina |
| Araliaceae | Panax quinquefolius |
| Araucariaceae | Araucaria araucana |
| Cactaceae | Any species of any genus of the family Cactaceae |
| Caryocaraceae | Caryocar costaricense |
| Caryophyllaceae | Gymnocarpus przewalskii |
| | Melandrium mongolicum |
| | Silene mongolica |
| | Stellaria pulvinata |
| Compositae | Saussurea lappa |
| Cupressaceae | Fitzroya cupressoides |
| | Pilgerodendron uviferum |
| Cyatheaceae | Any species of any genus of the family Cyatheaceae |
| Cycadaceae | Any species of any genus of the family Cycadaceae |
| Dicksoniaceae | Any species of any genus of the family Dicksoniaceae |
| Dioscoreaceae | Dioscorea deltoidea |

| Family | Kind |
|---------------------------------|--|
| Euphorbiaceae | Any species of the genus Euphorbia which is a succulent |
| Fagaceae | Quercus copeyensis |
| Gentianaceae | Prepusa hookeriana |
| Humiriaceae | Vantanea barbourii |
| Juglandaceae | Engelhardtia pterocarpa |
| Leguminosae | Ammopiptanthus mongolicus Cynometra hemitomophylla Platymiscium pleiostachyum Tachigalia versicolor Thermopsis mongolica |
| Liliaceae | Aloe, any species |
| Melastomataceae | Lavoisiera itambana |
| Meliaceae | Guarea longipetiolata Swietenia humilis |
| Moraceae | Batocarpus costaricensis |
| Orchidaceae | Any species of any genus of the family Orchidaceae |
| Palmae | Areca ipot Phoenix hanceana var philippinensis Zalacca clemensiana |
| Pinaceae | Abies guatemalensis Abies nebrodensis |
| Podocarpaceae | Podocarpus costalis Podocarpus parlatorei |
| Portulacaceae | Anacampseros, any species |
| Primulaceae | Cyclamen, any species |
| Proteaceae | Orothamnus zeyheri Protea odorata |
| Rubiaceae | Balmea stormae |
| Saxifragaceae (Grossulariaceae) | Ribes sardoum |
| Solanaceae | Solanum sylvestre |
| Stangeriaceae | Any species of any genus of the family Stangeriaceae |
| Sterculiaceae | Basiloxylon excelsum |
| Ulmaceae | Celtis aetensis |
| Verbenaceae | Caryopteris mongolica |
| Welwitschiaceae | Any species of any genus of the family Welwitschiaceae |
| Zamiaceae | Any species of any genus of the family Zamiaceae |
| Zingiberaceae | Hedychium philippinense |
| Zygophyllaceae | Guaiacum sanctum |

Parts and derivatives, the following:-

Whale meat and whale offal, fresh, chilled, frozen, salted, in brine, dried or smoked, whether or not fit for human consumption.

Whalebone, unworked or simply prepared but not cut to shape, and hair and waste thereof.

Whale fat and whale oil, other than sperm oil, whether or not refined; and such oil boiled, oxidised, dehydrated, sulphurised, blown or polymerised by heat in vacuum or in inert gas, or otherwise modified; and such fat and oil wholly or partly hydrogenated, or solidified or hardened by any other process but not further prepared.

Whalemeat extracts and whalemeat juices.

Any bracelet made wholly or partly of the hair of any animal of the family Elephantidae.

The tusks of elephant, walrus, narwhal and wild boar, the horn of the rhinoceros and the teeth of all animals, unworked or simply prepared, but not cut to shape, and powder and waste thereof.

The stuffed head, or the skull together with the skin covering it, of any animal of any of the families Elephantidae and Rhinocerotidae.

Furskins, raw or tanned or dressed with the hair on, including furskins assembled in plates, crosses and similar forms (namely furskins or parts thereof sewn together in rectangles, crosses or trapeziums without the addition of other materials), pieces or cuttings of furskin, including paws, tails and the like (not being fabricated): and any rug, coverlet, coat, jacket, cape or stole derived from any such furskin, except where the furskin is mere trimming, derived from the following animals:-

(a) any animal of any of the following genera, namely:-

Genetta
Paradoxurus, and
Viverra;

(b) any animal of the following species, namely:-

Acinonyx jubatus,
Arctogalidia trivigata,
Chrotogale owstoni,
Crocuta crocuta,
Felis benegalensis,
Felis colocolo,
Felis geoffroyi,
Felis guigna,
Felis jacobita,
Felis marmorata,
Felis nigripes,
Felis pardalis
Felis planiceps,
Felis rubiginosa,
Felis serval,
Felis sylvestris,
Felis tigrina,
Felis viverrina,
Felis wiedii,
Fossa fossa,
Hermigaeus derbianus,
Hyaena brunnea,
Mungos mungo,
Neofelis nebulosa (= Panthera nebulosa)
Panthera onca,
Panthera pardus,
Panthera tigris,
Panthera uncia,
Poiana richardsoni,
Ursus maritimus (= Thalarctos maritimus)
Vicugna vicugna, and
Vivericula indica.

The hair, whether or not carded or combed, of any animal of the species *Vicugna vicugna*.

Musk derived from any animal of the sub-species *Moschus moschiferus moschiferus*.

The raw hide or skin, (fresh, salted, dried, pickled or limed), whether or not split, and the leather of any animal of the Orders *Crocodylia*, *Sauria* or *Serpentes*.

The dried body of any animal of the families *Alligatoridae*, *Crocodylidae* and *Gavialidae*.

Tortoise-shell, being the shell and scales, unworked or simply prepared but not cut to shape, and the claws and waste of the shell and scales, of any animal of the family *Cheloniidae*.

The preserved body of any animal of the sub-species of *Atelopus varius zeteki*.

The whole shell of any animal of the species *Papustyla* (= *Papuina*) *pulcherrima*, unworked or simply prepared.

The stem of any plant of the family *Cyatheaceae*.

The plumage, being the feathers or the skins or other parts of birds with feathers, or articles consisting wholly or partly of plumage except where the plumage content is plumage only of birds ordinarily used in Guernsey as articles of diet or birds of one or more of the following species:-

Struthia carnelus
Somateria mollissima
Rhea rothschildi
Garrulus glandarius
Pica pica
Sturnus vulgaris
Munia oryzivora
Palaeornis docilis
Otis tarda dybowkysi
Crysolophus pictus
Phalacrocorax carbo
Phalacrocorax aristotelis