

THE POISONOUS SUBSTANCES (CONTROL OF USE) ORDER, 1972

Made 27th April, 1972

Coming into operation 28th April, 1972

THE STATES LABOUR AND WELFARE COMMITTEE, in exercise of the powers conferred upon it by section thirty-two of the Poisonous Substances Ordinance, 1962, and by section two of the Poisonous Substances Ordinance, 1967, hereby orders:-

Poisonous substances which may be applied without a licence for any purpose.

1. Any poisonous substance specified in the second column of Part I of the Schedule to this Order may be applied on any land for any purpose without a licence under section two of the Poisonous Substances Ordinance, 1967.

Poisonous substances which may be applied without a licence for only specified purposes.

2. (1) Any preparation or mixture which contains not more than five per centum by weight of any of the poisonous substances specified in the second column of Part I of the Schedule to this Order which are metallic compounds other than mercury compounds or arsenic compounds and which does not contain any other poisonous substance specified in the second column of the First Schedule to the Poisonous Substances Ordinance, 1962, as amended, may be applied on any land as a fertiliser without a licence as aforesaid.

(2) Any poisonous substance specified in the second column of Part II of the Schedule to this Order may be applied on any land for any purpose, other than a purpose connected with the growing of consumable produce, without a licence as aforesaid.

(3) Subject to the provisions of the next succeeding paragraph, any poisonous substance specified in the second column of Part III of the Schedule to this Order may be applied on any land in connection with, and only in connection with, the

growing of consumable produce of a description specified in the third column of that Part of that Schedule opposite the reference to that poisonous substance in the second column of that Part of that Schedule without a licence as aforesaid.

Rate and frequency of application of certain poisonous substances.

3. Where a poisonous substance specified in the second column of Part III of the Schedule to this Order is intended to be applied in connection with the growing of consumable produce to which that poisonous substance may be applied by virtue of the last preceding paragraph and is to be applied by a method specified in the fourth column of that Part of that Schedule opposite the reference to that poisonous substance in the said second column of that Part of that Schedule, then that poisonous substance shall not be so applied in excess of the rate and frequency of application specified in the fifth column of that Part of that Schedule in relation to the application of that poisonous substance by that method.

Restriction on harvesting of crops to which certain poisonous substances have been applied.

4. Where a poisonous substance specified in the second column of Part III of the Schedule to this Order has been applied in connection with the growing of any consumable produce of a description specified in the third column of that Part of that Schedule opposite the reference to that poisonous substance in the said second column of that Part of that Schedule, then there shall be allowed to elapse between the date on which that poisonous substance was last so applied and the date on which that produce is harvested the period specified in the sixth column of that Part of that Schedule in relation to that produce and that poisonous substance.

Revocation.

5. The Poisonous Substances (Control of Use) Order, 1970, is hereby revoked.

Construction, citation and commencement.

6. (1) In this Order the common name (if any) of a poisonous substance specified in the first column of Part I, Part II or Part III of the Schedule to this Order means the poisonous substance specified opposite thereto in the second column of Part I, Part II or Part III of that Schedule, as the case may be.

(2) This Order may be cited as the Poisonous Substances (Control of Use) Order, 1972.

(3) This Order shall come into force on the 28th day of April, nineteen hundred and seventy-two.

Dated this 27th day of April, nineteen hundred and seventy-two.

(Signed)

B. A. LE TISSIER

President of the States Labour and Welfare Committee, for and on behalf of the Committee.

SCHEDULE

THE POISONOUS SUBSTANCES (CONTROL OF USE) ORDER, 1972

PART I

Poisonous substances which may be applied on any land for any purpose

<u>Common Name</u>	<u>Substance</u>
-	alkyl polyethylene glycol
-	aminotriazole (3-amino-1,2,4-triazole)
	aminotriazole/2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine/2,4-dichlorophenoxyacetic acid
	aminotriazole/(#)-2-(2,4-dichlorophenoxy)propionic acid/ <u>N'</u> -(3,4-dichlorophenyl)- <u>NN</u> -dimethylurea/4-chloro-2-methylphenoxyacetic acid
	aminotriazole/4-chloro-2-methylphenoxyacetic acid/2-chloro-4,6-bisethylamino-1,3,5-triazine
	aminotriazole/2-chloro-4,6-bisethylamino-1,3,5-triazine
-	ammonium sulphamate
asulam	methyl (4-aminobenzenesulphonyl)carbamate
atrazine	2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine
	2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine/2,4-dichlorophenoxyacetic acid/aminotriazole
-	azobenzene
bromacil	5-bromo-6-methyl-3-s-butyluracil
captan	<u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide
	<u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/ <u>alpha</u> -naphthaleneacetic acid
chloramben	3-amino-2,5-dichlorobenzoic acid
chlorbenside	4-chlorobenzyl 4-chlorophenyl sulphide

Common NameSubstance

chlorfenson	4-chlorophenyl 4-chlorobenzenesulphonate
chlorophacinone	2-(2-p-chlorophenyl-2-phenylacetyl)indane-1,3-dione
-	(chloropicrin (trichloronitromethane
-	chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ ethylene dibromide (1,2-dibromoethane)/ isothiocyanatomethane (methyl isothiocyanate)
-	chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)
-	chloropicrin/isothiocyanatomethane (methyl isothiocyanate)
chloroxuron	3-[4-(4-chlorophenoxy)phenyl]-1,1-dimethylurea
-	copper-lime mixture
-	copper oxychloride
-	copper sulphate
coumatetralyl	4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin
-	cresylic acid (mixed cresols)
-	cuprammonium carbonate
-	cuprous oxide
2,4-D	2,4-dichlorophenoxyacetic acid
	2,4-dichlorophenoxyacetic acid/aminotriazole/ 2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine
	2,4-dichlorophenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid/4-chloro-2- methylphenoxyacetic acid
	2,4-dichlorophenoxyacetic acid/(±)-2-(2,4- dichlorophenoxy)propionic acid

Common NameSubstance

	2,4-dichlorophenoxyacetic acid/(±)-2-(2,4,5-trichlorophenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/(±)-2-(2,4,5-trichlorophenoxy)propionic acid/magnesium sulphate
	2,4-dichlorophenoxyacetic acid/(±)-2-(2,4,5-trichlorophenoxy)propionic acid/(±)-2-(4-chloro-2-methylphenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/(±)-2-(4-chloro-2-methylphenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/3-(4-chlorophenyl)-1,1-dimethylurea/sodium chlorate
	2,4-dichlorophenoxyacetic acid/2,4,5-trichlorophenoxyacetic acid
dalapon	2,2-dichloropropionic acid
dazomet	tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione
2,4-DB	4-(2,4-dichlorophenoxy)butyric acid
	4-(2,4-dichlorophenoxy)butyric acid/4-chloro-2-methylphenoxyacetic acid
	4-(2,4-dichlorophenoxy)butyric acid/4-chloro-2-methylphenoxyacetic acid/2,4-dichlorophenoxyacetic acid
dichlobenil	2,6-dichlorobenzonitrile
dichlorophen	di-(5-chloro-2-hydroxyphenyl)methane
-	1,2-dichloropropane
-	1,3-dichloropropene
	1,2-dichloropropane/1,3-dichloropropene
	1,2-dichloropropane/1,3-dichloropropene/ethylene dibromide (1,2-dibromoethane)/isothiocyanatomethane (methyl isothiocyanate)/chloropicrin

Common NameSubstance

	1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin
	1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)
dichlorprop	(±)-2-(2,4-dichlorophenoxy)propionic acid
	(±)-2-(2,4-dichlorophenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid
	(±)-2-(2,4-dichlorophenoxy)propionic acid/4-chloro- 2-methylphenoxyacetic acid
	(±)-2-(2,4-dichlorophenoxy)propionic acid/4-chloro- 2-methylphenoxyacetic acid/ <u>N'</u> -(3,4-dichlorophenyl)- <u>NN</u> -dimethylurea/aminotriazole
diquat	9,10-dihydro-8a,10a-diazoniaphenanthrene ion
	9,10-dihydro-8a,10a-diazoniaphenanthrene ion/ 1,1'-dimethyl-4,4'-bipyridylium ion
	9,10-dihydro-8a,10a-diazoniaphenanthrene ion/ 1,1'-dimethyl-4,4'-bipyridylium ion/2-chloro-4,6- bisethylamino-1,3,5-triazine
diuron	<u>N'</u> -(3,4-dichlorophenyl)- <u>NN</u> -dimethylurea
	<u>N'</u> -(3,4-dichlorophenyl)- <u>NN</u> -dimethylurea/4-chloro-2- methylphenoxyacetic acid/aminotriazole/(±)-2-(2,4- dichlorophenoxy)propionic acid
-	epoxyethane (ethylene oxide)
-	ethylene dibromide (1,2-dibromoethane)
	ethylene dibromide (1,2-dibromoethane)/ isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene
-	ethylmercury chloride
	ethylmercury chloride/phenylmercury nitrate

fenoprop	(±)-2-(2,4,5-trichlorophenoxy)propionic acid
	(±)-2-(2,4,5-trichlorophenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid
	(±)-2-(2,4,5-trichlorophenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid/magnesium sulphate
	(±)-2-(2,4,5-trichlorophenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid/(±)-2-(4-chloro- 2-methylphenoxy)propionic acid
fenuron	1,1-dimethyl-3-phenylurea
-	formaldehyde
	formaldehyde/tributyltin oxide
-	beta-indolylbutyric acid
	beta-indolylbutyric acid/alpha-naphthaleneacetic acid/tetramethylthiuram disulphide
-	(iron sulphate ferrous sulphate)
	iron sulphate/pentachloronitrobenzene/rotenone
-	isothiocyanatomethane (methyl isothiocyanate)
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ ethylene dibromide (1,2-dibromoethane)
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin
	isothiocyanatomethane (methyl isothiocyanate)/ 1,2-dichloropropane/1,3-dichloropropene
lenacil	3-cyclohexyl-6,7-dihydro-1H-cyclopentapyrimidine- 2,4(3H,5H)-dione

-	lime, hydrated
-	lime-sulphur
linuron	<u>N</u> '-(3,4-dichlorophenyl)- <u>N</u> -methoxy- <u>N</u> -methylurea
-	magnesium sulphate
	magnesium sulphate/2,4-dichlorophenoxyacetic acid/ (±)-2-(2,4,5-trichlorophenoxy)propionic acid
-	manganese sulphate
MCPA	4-chloro-2-methylphenoxyacetic acid
	4-chloro-2-methylphenoxyacetic acid/aminotriazole/ (+)-2-(2,4-dichlorophenoxy)propionic acid/ <u>N</u> '-(3,4- dichlorophenyl)- <u>NN</u> -dimethylurea
	4-chloro-2-methylphenoxyacetic acid/aminotriazole/ 2-chloro-4,6-bisethylamino-1,3,5-triazine
	4-chloro-2-methylphenoxyacetic acid/2,4- dichlorophenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/(±)-2-(2,4- dichlorophenoxy)propionic acid
	4-chloro-2-methylphenoxyacetic acid/4-(4-chloro- 2-methylphenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/(±)-2-(4-chloro- 2-methylphenoxy)propionic acid
MCPB	4-(4-chloro-2-methylphenoxy)butyric acid
	4-(4-chloro-2-methylphenoxy)butyric acid/ 4-chloro-2-methylphenoxyacetic acid
mecoprop	(±)-2-(4-chloro-2-methylphenoxy)propionic acid
	(±)-2-(4-chloro-2-methylphenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid

(±)-2-(4-chloro-2-methylphenoxy)propionic acid/
2,4-dichlorophenoxyacetic acid/(±)-2-(2,4,5-
trichlorophenoxy)propionic acid

(±)-2-(4-chloro-2-methylphenoxy)propionic acid/
4-chloro-2-methylphenoxyacetic acid

- metaldehyde

metaldehyde/sodium orthophenylphenate

metam-sodium sodium methyldithiocarbamate

(methyl isothiocyanate) isothiocyanatomethane/
chloropicrin/1,2-dichloropropane/1,3-dichloropropene/
ethylene dibromide (1,2-dibromoethane)

(methyl isothiocyanate) isothiocyanatomethane/
chloropicrin/1,2-dichloropropane/1,3-dichloropropene

(methyl isothiocyanate) isothiocyanatomethane/
chloropicrin

(methyl isothiocyanate) isothiocyanatomethane/
1,2-dichloropropane/1,3-dichloropropene

monolinuron 3-(4-chlorophenyl)-1-methoxy-1-methylurea

monuron 3-(4-chlorophenyl)-1,1-dimethylurea

3-(4-chlorophenyl)-1,1-dimethylurea/sodium chlorate/
2,4-dichlorophenoxyacetic acid

- naphthalene

- alpha-naphthaleneacetic acid (1-naphthylacetic acid)

alpha-naphthaleneacetic acid/N-(trichloromethylthio)-
3a,4,7,7a-tetrahydrophthalimide

alpha-naphthaleneacetic acid/tetramethylthiuram
disulphide/beta-indolylbutyric acid

- naphthoxyacetic acids (naphthylloxyacetic acids)

Common NameSubstance

- nonanol (3,5,5-trimethylhexan-1-ol)

norbornide 5-(alpha-hydroxy-alpha-2-pyridylbenzyl)-7-(alpha-2-pyridylbenzylidene)norborn-5-ene-2,3-dicarboxyimide

- organic thiocyanates

organic thiocyanates/tar oils

- oxalic acid

oxine-copper Complex of copper and 8-hydroxyquinoline

Complex of copper and 8-hydroxyquinoline/tar oils

paraquat 1,1'-dimethyl-4,4'-bipyridylium ion

1,1'-dimethyl-4,4'-bipyridylium ion/9,10-dihydro-8a,10a-diazoniaphenanthrene ion

1,1'-dimethyl-4,4'-bipyridylium ion/9,10-dihydro-8a,10a-diazoniaphenanthrene ion/2-chloro-4,6-bisethylamino-1,3,5-triazine

- petroleum oils

- (phenothiazine
(dibenzo-1,4-thiazine
(thiodiphenylamine

- 8-phenylmercurioxyquinoline

- phenylmercury nitrate

phenylmercury nitrate/ethylmercury chloride

- piperonyl butoxide
(5-[2-(2-butoxyethoxy)ethoxymethyl]-6-propyl-1,3-benzodioxole)

piperonyl butoxide/pyrethrins

- potassium permanganate

<u>COMMON NAME</u>	<u>SUBSTANCE</u>
-	pyrethrins
	pyrethrins/piperonyl butoxide
-	quassia
quintozene	pentachloronitrobenzene
	rotenone/pentachloronitrobenzene/iron sulphate
-	salicylanilide
simazine	2-chloro-4,6-bisethylamino-1,3,5-triazine
	2-chloro-4,6-bisethylamino-1,3,5-triazine/aminotriazole
	2-chloro-4,6-bisethylamino-1,3,5-triazine/aminotriazole/ 4-chloro-2-methylphenoxyacetic acid
	2-chloro-4,6-bisethylamino-1,3,5-triazole/9,10-dihydro- 8a,10a-diazoniaphenanthrene ion/1,1'-dimethyl-4,4'- bipyridylium ion
-	sodium carbonate
-	sodium chlorate
	sodium chlorate/2,4-dichlorophenoxyacetic acid/ 3-(4-chlorophenyl)-1,1-dimethylurea
-	sodium chloride
-	sodium dioctylsulphosuccinate
-	sodium metabisulphite
-	sodium monochloroacetate
-	sodium tetraborate (borax)
-	(sodium o-phenylphenate sodium orthophenylphenate)

Common NameSubstance

	sodium orthophenylphenate/metaldehyde
-	sulphaquinoxaline
	sulphaquinoxaline/3-(alpha-acetonylbenzyl)- 4-hydroxycoumarin
-	sulphur
2,4,5-T	2,4,5-trichlorophenoxyacetic acid
	2,4,5-trichlorophenoxyacetic acid/ 2,4-dichlorophenoxyacetic acid
(-	tar oils
	tar oils/organic thiocyanates
	tar oils/Complex of copper and 8-hydroxyquinoline
	tetramethylthiuram disulphide/beta-indolylbutyric acid/ alpha-naphthaleneacetic acid
-	tributyltin oxide
	tributyltin oxide/formaldehyde
(-	tri-sodium orthophosphate
-	zinc sulphate
warfarin	3-(alpha-acetonylbenzyl)-4-hydroxycoumarin
	3-(alpha-acetonylbenzyl)-4-hydroxycoumarin/ sulphaquinoxaline

PART II

Poisonous substances which under paragraph 2 (2) may be applied on any land for any purpose other than a purpose connected with the growing of consumable produce

<u>Common Name</u>	<u>Substance</u>
ametryne	2-ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine
-	anthraquinone
azinphos-methyl	<u>S</u> -(3,4-dihydro-4-oxobenzo[<u>d</u>]-[1,2,3]-triazin-3-ylmethyl) dimethyl phosphorothiolothionate
aziprotryne	2-azido-4-isopropylamino-6-methylthio-1,3,5-triazine
	azobenzene/diethyl 4-nitrophenyl phosphorothionate
	azobenzene/bis- <u>OO</u> -diethylphosphorothionic anhydride
benomyl	methyl N-benzimidazol-2-yl-N-(butylcarbamoyl)carbamate
gamma-BHC	gamma-isomer of BHC
	gamma-isomer of BHC/4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate
	gamma-isomer of BHC/ <u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide
	gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	gamma-isomer of BHC/technical dichlorodiphenyl-trichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
	gamma-isomer of BHC/dimethyl <u>S</u> -(<u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	gamma-isomer of BHC/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate

Common NameSubstance

gamma-isomer of BHC/S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate

gamma-isomer of BHC/piperonyl butoxide/pyrethrins

gamma-isomer of BHC/pyrethrins

gamma-isomer of BHC/rotenone/tetramethylthiuram disulphide

gamma-isomer of BHC/1,2,4,5-tetrachloro-3-nitrobenzene

gamma-isomer of BHC/tetramethylthiuram disulphide

binapacryl

2,4-dinitro-6-s-butylphenyl 3-methylcrotonate

bromophos

4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate

4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate/
gamma-isomer of BHC

captafol

N-(1,1,2,2-tetrachloroethylthio)cyclohex-4-ene-1,2-dicarboxyimide

N-(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/
gamma-isomer of BHC

N-(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/
a mixture of dinocap-4 and dinocap-6

carbaryl

1-naphthyl methylcarbamate

4-chlorobenzyl 4-chlorophenyl sulphide/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate/gamma-isomer of BHC

chlorbromuron

N-(4-bromo-3-chlorophenyl)-N-methoxy-N-methylurea

chlorbufam

1-methylprop-2-ynyl 3-chlorophenylcarbamate

1-methylprop-2-ynyl 3-chlorophenylcarbamate/
5-amino-4-chloro-2-phenyl-pyridazin-3-one

Common NameSubstance

	4-chlorophenyl 4-chlorobenzenesulphonate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>S</u> -1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate
	4-chlorophenyl 4-chlorobenzenesulphonate/ <u>S</u> -1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate
	4-chlorophenyl 4-chlorobenzenesulphonate/diethyl 4-nitrophenyl phosphorothionate
chlorfenvinphos	2-chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate
chlormequat	2-chloroethyltrimethylammonium ion
chlorobenzilate	ethyl 4,4'-dichlorobenzilate
chlorpropham	isopropyl 3-chlorophenylcarbamate
	isopropyl 3-chlorophenylcarbamate/1,1-dimethyl-3-phenylurea
	isopropyl 3-chlorophenylcarbamate/1,1-dimethyl-3-phenylurea/isopropyl phenylcarbamate
	isopropyl 3-chlorophenylcarbamate/2-chloroallyl diethyldithiolcarbamate
chlorthiamid	2,6-dichlorothiobenzamide
chlortoluron	<u>N'</u> -(3-chloro-4-methylphenyl)- <u>NN</u> -dimethylurea
	2,4-dichlorophenoxyacetic acid/3,6-dichloro-2-methoxybenzoic acid
daminozide	<u>N</u> -dimethylaminosuccinamic acid
DDT	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>gamma</u> -isomer of BHC.

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
4-chlorophenyl 4-chlorobenzenesulphonate/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
dimethyl S-(N-methylcarbamoylethyl)
phosphorothiothionate

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
dimethyl S-(N-methylcarbamoylethyl)
phosphorothiothionate/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
N-(trichloromethylthio)phthalimide/petroleum oils

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate

technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
petroleum oils/tetramethylthiuram disulphide

demeton-methyl a mixture of demeton-O-methyl and demeton-S-methyl

demeton-S-methyl S-2-(ethylthio)ethyl dimethyl phosphorothiolate

desmetryne 2-isopropylamino-4-methylamino-6-methylthio-1,3,5-triazine

diazinon diethyl 2-isopropyl-6-methyl-4-pyrimidinyl phosphorothionate

dicamba 3,6-dichloro-2-methoxybenzoic acid

3,6-dichloro-2-methoxybenzoic acid/
2,4-dichlorophenoxyacetic acid

Common NameSubstance

dichlofluanid	<u>N'</u> -dichlorofluoromethylthio- <u>NN</u> -dimethyl- <u>N'</u> phenylsulphamide
dichlorvos	2,2-dichlorovinyl dimethyl phosphate
dicofol	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - <u>/</u> 1,2-di(ethoxycarbonyl)ethyl <u>/</u> dimethyl phosphorothiolothionate 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - <u>/</u> 1,2-di(ethoxycarbonyl)ethyl <u>/</u> dimethyl phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - <u>/</u> 1,2-di(ethoxycarbonyl)ethyl <u>/</u> dimethyl phosphorothiolothionate/manganese ethylenebisdithiocarbamate (polymeric)
dimethoate	dimethyl <u>S</u> -(<u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate dimethyl <u>S</u> -(<u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/gamma-isomer of BHC/ <u>S</u> - <u>/</u> 1,2-di(ethoxycarbonyl)ethyl <u>/</u> dimethyl phosphorothiolothionate dimethyl <u>S</u> -(<u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates dimethyl <u>S</u> -(<u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>S</u> - <u>/</u> 1,2-di(ethoxycarbonyl)ethyl <u>/</u> dimethyl phosphorothiolothionate
dinobuton	2-s-butyl-4,6-dinitrophenyl isopropyl carbonate
dinocap	a mixture of dinocap-4 and dinocap-6 a mixture of dinocap-4 and dinocap-6/ <u>N</u> -(trichloromethylthio)-3a,4,7,7a- tetrahydrophthalimide

	a mixture of dinocap-4 and dinocap-6/ <u>N</u> -(trichloromethylthio)phthalimide
	a mixture of dinocap-4 and dinocap-6/zinc ethylenebisdithiocarbamate (polymeric)
dinoseb	2,4-dinitro-6-s-butylphenol
disulfoton	diethyl <u>S</u> -[2-(ethylthio)ethyl] phosphorothiolothionate
dodemorph acetate	4-cyclododecyl-2,6-dimethylmorpholine acetate
drazoxolon	4-(2-chlorophenylhydrazono)-3-methyl-5-isoxazolone
EPTC	<u>S</u> -ethyl dipropylthiocarbamate
fenitrothion	dimethyl 3-methyl-4-nitrophenyl phosphorothionate
fentin acetate	triphenyltin acetate
	triphenyltin acetate/manganese ethylenebisdithiocarbamate (polymeric)
fentin hydroxide	triphenyltin hydroxide
	1,1-dimethyl-3-phenylurea/isopropyl 3-chlorophenylcarbamate
	1,1-dimethyl-3-phenylurea/isopropyl phenylcarbamate/ isopropyl 3-chlorophenylcarbamate
folpet	<u>N</u> -(trichloromethylthio)phthalimide
	<u>N</u> -(trichloromethylthio)phthalimide/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ petroleum oils
	<u>N</u> -(trichloromethylthio)phthalimide/a mixture of dinocap-4 and dinocap-6
formetanate	3-dimethylaminomethyleneaminophenyl <u>N</u> -methylcarbamate
formothion	<u>S</u> -(<u>N</u> -formyl- <u>N</u> -methylcarbamoylmethyl) dimethyl phosphorothiolothionate

- 8-hydroxyquinoline

ioxynil 4-hydroxy-3,5-di-iodobenzonitrile

4-hydroxy-3,5-di-iodobenzonitrile/
(±)-2-(4-chloro-2-methylphenoxy)propionic acid

iron sulphate/mercurous chloride (calomel)

N'-(3,4-dichlorophenyl)-N-methoxy-N-methylurea/
2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine

malathion S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/gamma-isomer of BHC

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/gamma-isomer of BHC/
4-chlorobenzyl 4-chlorophenyl sulphide

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/gamma-isomer of BHC/
dimethyl S-(N-methylcarbamoylmethyl)
phosphorothiothionate

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/4-chlorophenyl
4-chlorobenzenesulphonate

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/4-chlorophenyl
4-chlorobenzenesulphonate/technical
dichlorodiphenyltrichloroethane, a complex
chemical mixture, in which pp'-DDT predominates

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/technical
dichlorodiphenyltrichloroethane, a complex
chemical mixture, in which pp'-DDT predominates

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl
phosphorothiothionate/technical
dichlorodiphenyltrichloroethane, a complex
chemical mixture, in which pp'-DDT predominates/
2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/
 dimethyl S-(N-methylcarbamoylmethyl) phosphorothiothionate

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/manganese ethylenebisdithiocarbamate (polymeric)

S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/2,4,4',5-tetrachlorodiphenyl sulphone

mancozeb Complex of zinc and maneb containing 20% manganese and 2.5% zinc

 Complex of zinc and maneb containing 20% manganese and 2.5% zinc/zinc ethylenebisdithiocarbamate (polymeric)

maneb manganese ethylenebisdithiocarbamate (polymeric)

 manganese ethylenebisdithiocarbamate (polymeric)/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/
S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate

 manganese ethylenebisdithiocarbamate (polymeric)/triphenyltin acetate

 manganese ethylenebisdithiocarbamate (polymeric)/zinc ethylenebisdithiocarbamate (polymeric)

mecarbam S-(N-ethoxycarbonyl-N-methylcarbamoylmethyl) diethyl phosphorothiothionate

 (±)-2-(4-chloro-2-methylphenoxy)propionic acid/4-hydroxy-3,5-di-iodobenzonitrile

menazon S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiothionate

S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiothionate/gamma-isomer of BHC

-	mercurous chloride (calomel)
	mercurous chloride (calomel)/iron sulphate
methidathion	<u>S</u> -(2,3-dihydro-5-methoxy-2-oxo-1,3,4-thiadiazol-3-ylmethyl) dimethyl phosphorothiolothionate
methiocarb	4-methylthio-3,5-xylol methylcarbamate
metobromuron	3-(4-bromophenyl)-1-methoxy-1-methylurea
morfamquat	1,1'-bis-(3,5-dimethylmorpholinocarbonylmethyl)-4,4'-bipyridylium ion
nabam	disodium ethylenebisdithiocarbamate
naled	1,2-dibromo-2,2-dichloroethyl dimethyl phosphate
-	nicotine
nitrofen	2,4-dichloro-4'-nitrodiphenyl ether
oxydemeton-methyl	<u>S</u> -[2-(ethylsulphinyl)ethyl] dimethyl phosphorothiolate
parathion	diethyl 4-nitrophenyl phosphorothionate
	diethyl 4-nitrophenyl phosphorothionate/azobenzene
	diethyl 4-nitrophenyl phosphorothionate/4-chlorophenyl 4-chlorobenzenesulphonate
	diethyl 4-nitrophenyl phosphorothionate/2,4,4',5-tetrachlorodiphenyl sulphone
	petroleum oils/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>N</u> -(trichloromethylthio)phthalimide
	petroleum oils/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/tetramethylthiuram disulphide
-	phenylmercury salicylate

phorate	diethyl <u>S</u> -(ethylthiomethyl) phosphorothiothionate
phosphamidon	2-chloro-2-diethylcarbamoyl-1-methylvinyl dimethyl phosphate
	piperonyl butoxide/pyrethrins/gamma-isomer of BHC
	piperonyl butoxide/pyrethrins/rotenone
pirimicarb	2-dimethylamino-5,6-dimethylpyrimidin-4-yl NN-dimethylcarbamate
pirimiphos-methyl	2-diethylamino-6-methylpyrimidin-4-yl dimethyl phosphorothionate
prometryne	2,4-bisisopropylamino-6-methylthio-1,3,5-triazine
propachlor	2'-chloro- <u>N</u> -isopropylacetanilide
propham	isopropyl phenylcarbamate
	isopropyl phenylcarbamate/isopropyl 3-chlorophenylcarbamate/ 1,1-dimethyl-3-phenylurea
propoxur	2-isopropoxyphenyl methylcarbamate
	2-isopropoxyphenyl methylcarbamate/rotenone/sulphur/ zinc ethylenebisdithiocarbamate (polymeric)
pyrazone	5-amino-4-chloro-2-phenyl-pyridazin-3-one
	5-amino-4-chloro-2-phenyl-pyridazin-3-one/1-methylprop- 2-ynyl 3-chlorophenylcarbamate
	pyrethrins/gamma-isomer of BHC
	pyrethrins/gamma-isomer of BHC/piperonyl butoxide
	pyrethrins/rotenone
	pyrethrins/rotenone/piperonyl butoxide
quinomethionate	6-methyl-2-oxo-1,3-dithiolo[4,5- <u>b</u>]quinoxaline

	rotenone
	rotenone/ γ -isomer of BHC/tetramethylthiuram disulphide
	rotenone/piperonyl butoxide/pyrethrins
	rotenone/2-isopropoxyphenyl methylcarbamate/sulphur/zinc ethylenebisdithiocarbamate (polymeric)
	rotenone/pyrethrins
sulfallate	2-chloroallyl diethyldithiolcarbamate
	2-chloroallyl diethyldithiolcarbamate/isopropyl 3-chlorophenylcarbamate
sulfotep	bis- <u>OO</u> -diethylphosphorothionic anhydride
	bis- <u>OO</u> -diethylphosphorothionic anhydride/azobenzene
	sulphur/2-isopropoxyphenyl methylcarbamate/rotenone/zinc ethylenebisdithiocarbamate (polymeric)
tecnazene	1,2,4,5-tetrachloro-3-nitrobenzene
	1,2,4,5-tetrachloro-3-nitrobenzene/ γ -isomer of BHC
terbutylazine	2-chloro-4-ethylamino-6-t-butylamino-1,3,5-triazine
	2-chloro-4-ethylamino-6-t-butylamino-1,3,5-triazine/ 2-ethylamino-4-methylthio-6-t-butylamino-1,3,5-triazine
terbutryne	2-ethylamino-4-methylthio-6-t-butylamino-1,3,5-triazine
	2-ethylamino-4-methylthio-6-t-butylamino-1,3,5-triazine/ 2-chloro-4-ethylamino-6-t-butylamino-1,3,5-triazine
tetradifon	2,4,4',5-tetrachlorodiphenyl sulphone
	2,4,4',5-tetrachlorodiphenyl sulphone/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate

Common NameSubstance

	2,4,4',5-tetrachlorodiphenyl sulphone/diethyl 4-nitrophenyl phosphorothionate
thiabendazole	2-(4-thiazolyl)benzimidazole
thiometon	<u>S</u> -[2-(ethylthio)ethyl] dimethyl phosphorothiolothionate
thiram	tetramethylthiuram disulphide
	tetramethylthiuram disulphide/gamma-isomer of BHC
	tetramethylthiuram disulphide/gamma-isomer of BHC/ rotenone
	tetramethylthiuram disulphide/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ petroleum oils
	tetramethylthiuram disulphide/zinc ethylenebisdithiocarbamate (polymeric)
trichlorphon	dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate
-	tricyclohexyltin hydroxide
trietazine	2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine
	2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine/ <u>N'</u> -(3,4-dichlorophenyl)- <u>N</u> -methoxy- <u>N</u> -methylurea
trifluralin	2,6-dinitro- <u>NN</u> -dipropyl-4-trifluoromethylaniline
zineb	zinc ethylenebisdithiocarbamate (polymeric)
	zinc ethylenebisdithiocarbamate (polymeric)/ a mixture of dinocap-4 and dinocap-6
	zinc ethylenebisdithiocarbamate (polymeric)/ Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc
	zinc ethylenebisdithiocarbamate (polymeric)/ manganese ethylenebisdithiocarbamate (polymeric)
	zinc ethylenebisdithiocarbamate (polymeric)/ 2-isopropoxyphenyl methylcarbamate/rotenone/sulphur
	zinc ethylenebisdithiocarbamate (polymeric)/ tetramethylthiuram disulphide

PART III

Poisonous substances which may be applied, subject to restrictions, in connection with the growing of consumable produce

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
ametryne	2-ethylamino-4-isopropylamino-6-methylthio-1,3,5-triazine	Potatoes	Spray		
-	anthraquinone		Dust Spray	Application during period October to March	
aziprotryne	2-azido-4-isopropylamino-6-methylthio-1,3,5-triazine	Brassicas	Spray		6 weeks
	azobenzene/diethyl 4-nitrophenyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	azobenzene/bis- <u>OO</u> - diethylphosphorothionic anhydride	Grown under glass	Smoke	Up to 1.0 g. sulfotep active ingredient per 1,000 cubic feet of glasshouse space	24 hours
benomyl	methyl N-benzimidazol-2-yl-N- (butylcarbamoyl)carbamate		Spray		48 hours
gamma-BHC	gamma-isomer of BHC		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/4-bromo-2,5- dichlorophenyl dimethyl phosphorothionate	Tomatoes (under glass) Lettuce (under glass)	Smoke		48 hours
			Dust		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates	Tomatoes (under glass)	Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/dimethyl S-(N-methylcarbamoylmethyl) phosphorothiolothionate/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		7 days 2 weeks
Lettuce (under glass)		Aerosol Spray		November to February } 4 weeks March to October } 2 weeks	
		Granules Spray		4 weeks 2 weeks	

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvest:
	gamma-isomer of BHC/S- $\sqrt{1,2}$ -di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate		Spray		3 weeks
	gamma-isomer of BHC/piperonyl butoxide/pyrethrins gamma-isomer of BHC/pyrethrins		Aerosol		48 hours
	gamma-isomer of BHC/rotenone/tetramethylthiuram disulphide	Grown under glass	Spray		October to March April to September
			Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	gamma-isomer of BHC/1,2,4,5-tetrachloro-3-nitrobenzene		Smoke		48 hours
romophos	4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate	Tomatoes (under glass) Lettuce (under glass)	Smoke		48 hours
			Dust		7 days
	4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate/gamma-isomer of BHC	Tomatoes (under glass) Lettuce (under glass)	Smoke		48 hours
			Dust		2 weeks
aptafol	<u>N</u> -(1,1,2,2-tetrachloroethylthio)cyclohex-4-ene-1,2-dicarboxyimide	Tomatoes (under glass)	Soil application Spray		48 hours
		Potatoes	Spray		
carbaryl	1-naphthyl methylcarbamate	Brassicas Lettuce Peas	Spray		7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	4-chlorobenzyl 4-chlorophenyl sulphide/ S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate/gamma-isomer of BHC		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
chlorbromuron	N-(4-bromo-3-chlorophenyl)-N-methoxy-N-methylurea	Carrots Parsnips Potatoes	Spray		
	1-methylprop-2-ynyl 3-chlorophenylcarbamate/ 5-amino-4-chloro-2-phenyl-pyridazin-3-one	Leeks Onions	Spray		
	4-chlorophenyl 4-chlorobenzenesulphonate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/S-1,2- di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		48 hours 2 weeks
	4-chlorophenyl 4-chlorobenzenesulphonate/ S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate		Aerosol Spray		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	4-chlorophenyl 4-chlorobenzenesulphonate/ diethyl 4-nitrophenyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
		Tomatoes (under glass) Cucumbers (under glass)	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks
chlorfenvinphos	2-chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate	Brassicas Carrots Onions	Granules Spray	32 ozs. active ingredient per acre, per season	3 weeks
chlorobenzilate	ethyl 4,4'-dichlorobenzilate		Spray		3 weeks
chlorpropham	isopropyl 3-chlorophenylcarbamate	Carrots Leeks Lettuce Onions	Granules Spray		

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	isopropyl 3-chlorophenylcarbamate/ 2-chloroallyl diethyldithiolcarbamate	Lettuce	Spray		
DDT	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>gamma</u> -isomer of BHC	Tomatoes (under glass)	Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>4</u> -chlorophenyl <u>4</u> -chlorobenzenesulphonate/ <u>S</u> - <u>1,2</u> - di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>2,2,2</u> -trichloro- <u>1,1</u> - di-(<u>4</u> -chlorophenyl)ethanol/ <u>S</u> - <u>1,2</u> - di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		48 hours 2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<p>technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u>-DDT predominates/dimethyl <u>S</u>-(<u>N</u>-methylcarbamoylmethyl) phosphorothiolothionate</p> <p>technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u>-DDT predominates/dimethyl <u>S</u>-(<u>N</u>-methylcarbamoylmethyl) phosphorothiolothionate/<u>S</u>-<u>1,2</u>-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate</p>	Tomatoes (under glass)	Spray		2 weeks
	<p>technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u>-DDT predominates/<u>S</u>-<u>1,2</u>-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate</p>	Tomatoes (under glass)	Aerosol Spray		48 hours 2 weeks
demeton-methyl	a mixture of demeton-O-methyl and demeton-S-methyl		Spray		3 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
demeton-S- methyl	S-[2-(ethylthio)ethyl] dimethyl phosphorothiolate	Tomatoes (under glass)	Spray Soil application		3 weeks 6 weeks
		Brassicas	Spray	Application during period April to September only	3 weeks
desmetryne	2-isopropylamino-4-methylamino-6-methylthio- 1,3,5-triazine		Spray		6 weeks
diazinon	diethyl 2-isopropyl-6-methyl-4-pyrimidinyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Aerosol Dust Granules Spray Smoke		48 hours 48 hours 2 weeks 2 weeks 48 hours
			Granules Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
dichlofluanid	<u>N'</u> -dichlorofluoromethylthio- <u>NN</u> -dimethyl- <u>N'</u> -phenylsulphamide	Lettuce (under glass)	Dust		3 weeks
		Blackberries Blackcurrants Gooseberries Loganberries Raspberries Strawberries Cauliflowers (under glass)	Spray		3 weeks
dichlorvos	2,2-dichlorovinyl dimethyl phosphate		Aerosol Spray		48 hours
dicofol	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol	Grown under glass	Aerosol Spray		48 hours
		Apples Pears Strawberries	Spray		7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates	Tomatoes (under glass)	Aerosol Spray		48 hours 2 weeks
	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate/manganese ethylenebisdithiocarbamate (polymeric)	Grown under glass Apples Pears Strawberries	Aerosol Spray Spray		48 hours 7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
dimethoate	dimethyl S-(N-methylcarbamoylmethyl) phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		7 days
		Lettuce (under glass)	Aerosol Spray		November to February } 4 weeks March to October } 7 days
			Granules Spray		4 weeks 7 days
	dimethyl S-(N-methylcarbamoylmethyl) phosphorothiolothionate/gamma-isomer of BHC/S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		7 days 2 weeks
		Lettuce (under glass)	Aerosol Spray		November to February } 4 weeks March to October } 2 weeks
			Granules Spray		4 weeks 2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<p>dimethyl <u>S</u>-(<u>N</u>-methylcarbamoylmethyl) phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u>-DDT predominates</p> <p>dimethyl <u>S</u>-(<u>N</u>-methylcarbamoylmethyl) phosphorothiolothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u>-DDT predominates/<u>S</u>-<u>1,2</u>-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate</p>	Tomatoes (under glass)	Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
dinocap	a mixture of dinocap-4 and dinocap-6	Grown under glass	Aerosol Dust Spray Smoke		48 hours
			Spray		7 days
dinoseb	2,4-dinitro-6-s-butylphenol		Spray		10 days
disulfoton	diethyl <u>S</u> -[2-(ethylthio)ethyl] phosphorothiolothionate	Brassicas	Granules	48 ozs. active ingredient per acre, per season	6 weeks
		Carrots Parsnips	Granules	32 ozs. active ingredient per acre, per season	6 weeks
		Potatoes Fodder beet Mangolds	Granules	24 ozs. active ingredient per acre, per season	6 weeks
EPTC	<u>S</u> -ethyl dipropylthiocarbamate	Potatoes	Spray		

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
fentin acetate	triphenyltin acetate triphenyltin acetate/manganese ethylenebisdithiocarbamate (polymeric)	Potatoes	Spray	4 ozs. active ingredient fentin acetate per acre, per season	7 days
fentin hydroxide	triphenyltin hydroxide	Potatoes	Spray	4 ozs. active ingredient per acre, per season	
formothion	<u>S</u> -(<u>N</u> -formyl- <u>N</u> -methylcarbamoylmethyl) dimethyl phosphorothiothionate		Spray		7 days
	<u>N</u> '-(3,4-dichlorophenyl)- <u>N</u> -methoxy- <u>N</u> -methylurea/2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine	Potatoes	Spray		12 weeks
malathion	<u>S</u> - <u>1,2</u> -di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate		Aerosol Dust Spray Smoke		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/ gamma-isomer of BHC		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/ gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide				
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/ gamma-isomer of BHC/dimethyl <u>S</u> -(N- methylcarbamoylmethyl) phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		7 days 2 weeks
		Lettuce (under glass)	Aerosol Spray		November } 4 to } weeks February } March } 2 to } weeks October }
			Granules Spray		4 weeks 2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	S- <u>1,2-di(ethoxycarbonyl)ethyl</u> dimethyl phosphorothiothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate		Aerosol Spray		48 hours
	S- <u>1,2-di(ethoxycarbonyl)ethyl</u> dimethyl phosphorothiothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates S- <u>1,2-di(ethoxycarbonyl)ethyl</u> dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture in which <u>pp'</u> -DDT predominates S- <u>1,2-di(ethoxycarbonyl)ethyl</u> dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol	Tomatoes (under glass)	Aerosol Spray		48 hours 2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/dimethyl <u>S</u> -(N- methylcarbamoylmethyl) phosphorothiothionate	Tomatoes (under glass)	Spray		2 weeks
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/ 2,2,2-trichloro-1,1-di-(4- chlorophenyl)ethanol	Grown under glass	Aerosol Spray		48 hours
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/ 2,2,2-trichloro-1,1-di-(4- chlorophenyl)ethanol/manganese ethylenebisdithiocarbamate (polymeric)	Apples Pears Strawberries	Spray		7 days
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/ 2,4,4',5-tetrachlorodiphenyl sulphone	Grown under glass	Smoke		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
mancozeb	Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc	Grown under glass	Aerosol Dust Spray		48 hours
	Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc/zinc ethylenebisdithiocarbamate (polymeric)		Dust Spray		7 days
maneb	manganese ethylenebisdithiocarbamate (polymeric)	Grown under glass	Aerosol Dust Spray		48 hours
			Dust Spray		7 days
	manganese ethylenebisdithiocarbamate (polymeric)/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate	Grown under glass	Aerosol Spray		48 hours
		Apples Pears Strawberries	Spray		7 days
	manganese ethylenebisdithiocarbamate (polymeric)/triphenyltin acetate	Potatoes	Spray	4 oz. active ingredient fentin acetate per acre, per season	7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequenc of application	(6) Period required to elapse before harvesting
	manganese ethylenebisidithiocarbamate (polymeric)/zinc ethylenebisidithio- carbamate (polymeric)	Potatoes	Spray		7 days
menazon	<u>S</u> -(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate <u>S</u> -(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate/ gamma-isomer of BHC		Spray		3 weeks
-	mercurous chloride (calomel)	Onions Brassicas	Dust Spray		
methiocarb	4-methylthio-3,5-xylyl methylcarbamate		Granules		7 days
metobromuron	3-(4-bromophenyl)-1-methoxy-1-methylurea	Potatoes	Spray		12 weeks
nabam	disodium ethylenebisidithiocarbamate	Grown under glass	Spray Spray		48 hours 7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
naled	1,2-dibromo-2,2-dichloroethyl dimethyl phosphate		Aerosol		48 hours
-	nicotine	Grown under glass	Smoke		24 hours
nitrofen	2,4-dichloro-4'-nitrodiphenyl ether	Brassicas	Spray		6 weeks
oxydemeton-methyl	S-[2-(ethylsulphinyl)ethyl] dimethyl phosphorothiolate	Tomatoes (under glass)	Spray		3 weeks
		Brassicas	Spray	Application during period April to September only	3 weeks
parathion	diethyl 4-nitrophenyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
parathion (continued)		Tomatoes (under glass) Cucumbers (under glass)	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Peas	Spray	One application at 3 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Sugar Beet Fodder Beet Mangolds	Spray	Up to two applications each at 3 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
parathion (continued)		Tomatoes	Soil application	One application at 6 ozs. active ingredient per 100 gallons of water at planting <u>OR</u> Up to three applications each at 2½ ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Cucumbers	Soil application	One application at 1 oz. active ingredient per 100 gallons of water, per season	4 weeks
	diethyl 4-nitrophenyl phosphorothionate/ azobenzene	Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	diethyl 4-nitrophenyl phosphorothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate diethyl 4-nitrophenyl phosphorothionate/ 2,4,4',5-tetrachlorodiphenyl sulphone	Tomatoes (under glass) Cucumbers (under glass)	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
		Tomatoes (under glass) Cucumbers (under glass)	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks
-	phenylmercury salicylate	Tomatoes (under glass)	Aerosol	Up to five applications per crop, per season, at intervals of not less than seven days, each at 40 m.g. of organically combined mercury per 1,000 cubic feet of glasshouse space	12 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
phorate	diethyl S-(ethylthiomethyl) phosphorothiolothionate	Brassicas	Granules	32 ozs. active ingredient per acre, per season	6 weeks
		Carrots Parsnips Potatoes	Granules	48 ozs. active ingredient per acre, per season	6 weeks
phosphamidon	2-chloro-2-diethylcarbamoyl-1- methylvinyl dimethyl phosphate	Brassicas	Spray	Up to four applications each at 4 ozs. active ingredient per acre, per crop	3 weeks
		Potatoes	Spray	Up to four applications each at 3 $\frac{1}{4}$ ozs. active ingredient per acre, per crop	3 weeks
		Fodder Beet Mangolds	Spray	Up to three applications each at 5 ozs. active ingredient per acre, per crop	3 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequenc of application	(6) Period required to elapse before harvesting
	piperonyl butoxide/pyrethrins/ gamma-isomer of BHC		Aerosol		48 hours
	piperonyl butoxide/pyrethrins/rotenone		Aerosol Spray		24 hours
pirimicarb	2-dimethylamino-5,6-dimethylpyrimidin- 4-yl NN-dimethylcarbamate	Beans Brassicas Carrots Lettuce Potatoes	Spray		14 days
pirimiphos- methyl	2-diethylamino-6-methylpyrimidin-4-yl dimethyl phosphorothionate		Spray		7 days
prometryne	2,4-bisisopropylamino-6-methylthio- 1,3,5-triazine	Carrots Parsnips Peas Potatoes	Spray		6 weeks
propachlor	2'-chloro-N-isopropylacetanilide	Brassicas			

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequenc of application	(6) Period required to elapse before harvesting
propoxur	2-isopropoxyphenyl methylcarbamate	Tomatoes (under glass) Cucumbers (under glass)	Spray Smoke		7 days 48 hours
pyrazone	5-amino-4-chloro-2-phenyl-pyridazin- 3-one	Leeks Onions Fodder Beet Mangolds	Spray		7 days
	5-amino-4-chloro-2-phenyl-pyridazin- 3-one/1-methylprop-2-ynyl 3-chlorophenylcarbamate	Leeks Onions	Spray		
	pyrethrins/gamma-isomer of BHC pyrethrins/gamma-isomer of BHC/ piperonyl butoxide		Aerosol		48 hours
	pyrethrins/rotenone pyrethrins/rotenone/piperonyl butoxide		Aerosol Spray		24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
quinomethionate	6-methyl-2-oxo-1,3-dithiolo[4,5-b]quinoxaline	Tomatoes (under glass) Cucumbers (under glass)	Spray Smoke		48 hours
		Apples Pears	Spray		3 weeks
		Blackcurrants Gooseberries	Spray		2 weeks
-	rotenone		Aerosol Dust Spray		24 hours
	rotenone/gamma-isomer of BHC/ tetramethylthiuram disulphide	Grown under glass	Spray		October to March } 4 weeks April to September } 2 weeks
			Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	rotenone/piperonyl butoxide/pyrethrins rotenone/pyrethrins		Aerosol Spray		24 hours
sulfallate	2-chloroallyl diethyldithiolcarbamate	Brassicas Lettuce	Spray		
	2-chloroallyl diethyldithiolcarbamate/ isopropyl 3-chlorophenylcarbamate	Lettuce	Spray		
sulfotep	bis- <u>OO</u> -diethylphosphorothionic anhydride bis- <u>OO</u> -diethylphosphorothionic anhydride/ azobenzene	Grown under glass	Smoke	Up to 1.0 g. sulfotep active ingredient per 1,000 cubic feet of glasshouse space	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
tecnazene	1,2,4,5-tetrachloro-3-nitrobenzene	Grown under glass	Aerosol Smoke		48 hours
	1,2,4,5-tetrachloro-3-nitrobenzene/ gamma-isomer of BHC	Grown under glass	Dust Smoke		48 hours
terbutylazine	2-chloro-4-ethylamino-6-t-butylamino- 1,3,5-triazine 2-chloro-4-ethylamino-6-t-butylamino- 1,3,5-triazine/2-ethylamino-4-methylthio- 6-t-butylamino-1,3,5-triazine	Potatoes	Spray		12 weeks
terbutryne	2-ethylamino-4-methylthio-6-t-butylamino- 1,3,5-triazine 2-ethylamino-4-methylthio-6-t-butylamino- 1,3,5-triazine/2-chloro-4-ethylamino- 6-t-butylamino-1,3,5-triazine	Potatoes	Spray		12 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
tetradifon	2,4,4',5-tetrachlorodiphenyl sulphone		Aerosol Spray Smoke		24 hours
	2,4,4',5-tetrachlorodiphenyl sulphone/ S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiolothionate	Grown under glass	Smoke		48 hours
	2,4,4',5-tetrachlorodiphenyl sulphone/ diethyl 4-nitrophenyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
		Tomatoes (under glass) Cucumbers (under glass)	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
thiometon	S-[2-(ethylthio)ethyl] dimethyl phosphorothiothionate	Brassicas Carrots Parsnips Potatoes Fodder Beet Mangolds	Spray		3 weeks
thiram	tetramethylthiuram disulphide tetramethylthiuram disulphide/zinc ethylenebisdithiocarbamate (polymeric)	Grown under glass	Aerosol Dust Spray		October to March } 4 weeks April to September } 7 days
			Dust Spray		7 days
	tetramethylthiuram disulphide/gamma-isomer of BHC/rotenone	Grown under glass	Spray		October to March } 4 weeks April to September } 2 weeks
			Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
trichlorphon	dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate		Dust Spray		48 hours
trietazine	2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine 2-chloro-4-diethylamino-6-ethylamino-1,3,5-triazine/ <u>N'</u> -(3,4-dichlorophenyl)- <u>N</u> -methoxy- <u>N</u> -methylurea	Potatoes	Spray		12 weeks
trifluralin	2,6-dinitro- <u>NN</u> -dipropyl-4-trifluoromethylaniline	Brassicas Potatoes	Spray	One application at 24 ozs. active ingredient per acre, before planting	
zineb	zinc ethylenebisdithiocarbamate (polymeric)	Grown under glass	Aerosol Dust Soil application Spray		48 hours
			Dust Spray		7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	zinc ethylenebisdithiocarbamate (polymeric)/ Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc	Grown under glass	Aerosol Dust Spray		48 hours
			Dust Spray		7 days
	zinc ethylenebisdithiocarbamate (polymeric)/ manganese ethylenebisdithiocarbamate (polymeric)	Potatoes	Spray		7 days
	zinc ethylenebisdithiocarbamate (polymeric)/ tetramethylthiuram disulphide	Grown under glass	Aerosol Dust Spray		October to March } 4 weeks April to September } 7 days
			Dust Spray		7 days