

THE POISONOUS SUBSTANCES (CONTROL OF USE) ORDER, 1970

---

Made ... .. 19th May, 1970

Coming into Operation ... .. 26th May, 1970

-----

THE STATES LABOUR AND WELFARE COMMITTEE, in exercise of the powers conferred upon it by section thirty-two of the Poisonous Substances Ordinance, 1962, and by section two of the Poisonous Substances Ordinance, 1967, hereby orders:-

Poisonous substances which may be applied without a licence for any purpose.

1. Any poisonous substance specified in the second column of Part I of the Schedule to this Order may be applied on any land for any purpose without a licence under section two of the Poisonous Substances Ordinance, 1967.

Poisonous substances which may be applied without a licence for only specified purposes.

2. (1) Any preparation or mixture which contains not more than five per centum by weight of any of the poisonous substances specified in the second column of Part I of the Schedule to this Order which are metallic compounds other than mercury compounds or arsenic compounds and which does not contain any other poisonous substance specified in the second column of the First Schedule to the Poisonous Substances Ordinance, 1962, as amended, may be applied on any land as a fertiliser without a licence as aforesaid.

(2) Any poisonous substance specified in the second column of Part II of the Schedule to this Order may be applied on any land for any purpose, other than a purpose connected with the growing of consumable produce, without a licence as aforesaid.

(3) Subject to the provisions of the next succeeding paragraph, any poisonous substance specified in the second column of Part III of the Schedule to this Order may be applied on any land in connection with, and only in connection with, the

growing of consumable produce of a description specified in the third column of that Part of that Schedule opposite the reference to that poisonous substance in the second column of that Part of that Schedule without a licence as aforesaid.

Rate and frequency of application of certain poisonous substances.

3. Where a poisonous substance specified in the second column of Part III of the Schedule to this Order is intended to be applied in connection with the growing of consumable produce to which that poisonous substance may be applied by virtue of the last preceding paragraph and is to be applied by a method specified in the fourth column of that Part of that Schedule opposite the reference to that poisonous substance in the said second column of that Part of that Schedule, then that poisonous substance shall not be so applied in excess of the rate and frequency of application specified in the fifth column of that Part of that Schedule in relation to the application of that poisonous substance by that method.

Restriction on harvesting of crops to which certain poisonous substances have been applied.

4. Where a poisonous substance specified in the second column of Part III of the Schedule to this Order has been applied in connection with the growing of any consumable produce of a description specified in the third column of that Part of that Schedule opposite the reference to that poisonous substance in the said second column of that Part of that Schedule, then there shall be allowed to elapse between the date on which that poisonous substance was last so applied and the date on which that produce is harvested the period specified in the sixth column of that Part of that Schedule in relation to that produce and that poisonous substance.

Revocation.

5. The Poisonous Substances (Control of Use) Order, 1968, is hereby revoked.

Construction, citation and commencement.

6. (1) In this Order the common name (if any) of a poisonous substance specified in the first column of Part I, Part II or Part III of the Schedule to this Order means the poisonous substance specified opposite thereto in the second column of Part I, Part II or Part III of that Schedule, as the case may be.

(2) This Order may be cited as the Poisonous Substances (Control of Use) Order, 1970.

(3) This Order shall come into force on the twenty-sixth day of May, nineteen hundred and seventy.

Dated this nineteenth day of May, nineteen hundred and seventy.

(Signed)

B. A. LE TISSIER

President of the States Labour and  
Welfare Committee, for and on behalf  
of the Committee.

SCHEDULE

THE POISONOUS SUBSTANCES (CONTROL OF USE) ORDER, 1970

PART I

Poisonous substances which may be applied on any land for any purpose

<u>Common Name</u>	<u>Substance</u>
-	alkyl polyethylene glycol
-	aminotriazole (3-amino-1,2,4-triazole)
-	ammonium sulphamate
asulam	methyl (4-aminobenzenesulphonyl)carbamate
atrazina	2-chloro-4-ethylamino-6-isopropylamino-1,3,5-triazine
-	azobenzene
captan	<u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide <u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/ alpha-naphthaleneacetic acid
chloramben	3-amino-2,5-dichlorobenzoic acid
chlorbenside	4-chlorobenzyl 4-chlorophenyl sulphide
chlordane	1,2,4,5,6,7,8,8-octachloro-3a,4,7,7a-tetrahydro- 4,7-methanoindane
chlorfenson	4-chlorophenyl 4-chlorobenzenesulphonate
chlorophacinone	2-(2-p-chlorophenyl-2-phenylacetyl)indane- 1,3-dione
-	{ chloropicrin { trichloronitromethane  chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ ethylene dibromide (1,2-dibromoethane)/ isothiocyanatomethane (methyl isothiocyanate)

<u>Common Name</u>	<u>Substance</u>
	chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)
	chloropicrin/isothiocyanatomethane (methyl isothiocyanate)
chloroxuron	3-[4-(4-chlorophenoxy)phenyl]-1,1-dimethylurea
-	copper-lime mixture
-	copper oxychloride
-	copper sulphate
coumatetralyl	4-hydroxy-3-(1,2,3,4-tetrahydro-1-naphthyl)coumarin
-	cresylic acid (mixed cresols)
-	cuprammonium carbonate
-	cuprous oxide
2,4-D	2,4-dichlorophenoxyacetic acid
	2,4-dichlorophenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid/4-chloro-2- methylphenoxyacetic acid
	2,4-dichlorophenoxyacetic acid/(#)-2-(2,4- dichlorophenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/(#)-2-(2,4,5- trichlorophenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/(#)-2-(2,4,5- trichlorophenoxy)propionic acid/magnesium sulphate
	2,4-dichlorophenoxyacetic acid/(#)-2-(4-chloro-2- methylphenoxy)propionic acid
	2,4-dichlorophenoxyacetic acid/3-(4-chlorophenyl)- 1,1-dimethylurea/sodium chlorate
	2,4-dichlorophenoxyacetic acid/2,4,5- trichlorophenoxyacetic acid

<u>Common Name</u>	<u>Substance</u>
dalapon	2,2-dichloropropionic acid
dazomet	tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione
2,4-DB	4-(2,4-dichlorophenoxy)butyric acid 4-(2,4-dichlorophenoxy)butyric acid/4-chloro-2-methylphenoxyacetic acid 4-(2,4-dichlorophenoxy)butyric acid/4-chloro-2-methylphenoxyacetic acid/2,4-dichlorophenoxyacetic acid
dichlobenil	2,6-dichlorobenzonitrile
dichlorophen	di-(5-chloro-2-hydroxyphenyl)methane
-	1,2-dichloropropane
-	1,3-dichloropropene
	1,2-dichloropropane/1,3-dichloropropene
	1,2-dichloropropane/1,3-dichloropropene/ethylene dibromide (1,2-dibromoethane)/isothiocyanatomethane (methyl isothiocyanate)/chloropicrin
	1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)/chloropicrin
	1,2-dichloropropane/1,3-dichloropropene/ isothiocyanatomethane (methyl isothiocyanate)
dichlorprop	(±)-2-(2,4-dichlorophenoxy)propionic acid (±)-2-(2,4-dichlorophenoxy)propionic acid/2,4-dichlorophenoxyacetic acid
diquat	9,10-dihydro-8a,10a-diazoniaphenanthrene ion 9,10-dihydro-8a,10a-diazoniaphenanthrene ion/ 1,1'-dimethyl-4,4'-bipyridylium ion
-	epoxyethane (ethylene oxide)

<u>Common Name</u>	<u>Substance</u>
-	ethylene dibromide (1,2-dibromoethane)
	ethylene dibromide (1,2-dibromoethane)/ isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene
-	ethylmercury chloride
	ethylmercury chloride/phenylmercury nitrate
fenoprop	(±)-2-(2,4,5-trichlorophenoxy)propionic acid
	(±)-2-(2,4,5-trichlorophenoxy)propionic acid/ 2,4-dichlorophenoxyacetic acid
	(±)-2-(2,4,5-trichlorophenoxy)propionic acid/ magnesium sulphate/2,4-dichlorophenoxyacetic acid
fenuron	1,1-dimethyl-3-phenylurea
-	formaldehyde
	formaldehyde/tributyltin oxide
-	beta-indolylbutyric acid
	beta-indolylbutyric acid/alpha-naphthaleneacetic acid/tetramethylthiuram disulphide
ioxynil	4-hydroxy-3,5-di-iodobenzonitrile
	4-hydroxy-3,5-di-iodobenzonitrile/(±)-2-(4- chloro-2-methylphenoxy)propionic acid
-	(iron sulphate ferrous sulphate
	iron sulphate/pentachloronitrobenzene/rotenone
-	isothiocyanatomethane (methyl isothiocyanate)

<u>Common Name</u>	<u>Substance</u>
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene/ ethylene dibromide (1,2-dibromoethane)
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin/1,2-dichloropropane/1,3-dichloropropene
	isothiocyanatomethane (methyl isothiocyanate)/ chloropicrin
	isothiocyanatomethane (methyl isothiocyanate)/ 1,2-dichloropropane/1,3-dichloropropene
lenacil	3-cyclohexyl-6,7-dihydro-1H-cyclopentapyrimidine- 2,4(3H,5H)-dione
-	lime, hydrated
-	lime-sulphur
linuron	3-(3,4-dichlorophenyl)-1-methoxy-1-methylurea
-	magnesium sulphate
	magnesium sulphate/2,4-dichlorophenoxyacetic acid/ (±)-2-(2,4,5-trichlorophenoxy)propionic acid
-	manganese sulphate
MCPA	4-chloro-2-methylphenoxyacetic acid
	4-chloro-2-methylphenoxyacetic acid/2,4- dichlorophenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/4-(2,4- dichlorophenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/4-(4-chloro- 2-methylphenoxy)butyric acid
	4-chloro-2-methylphenoxyacetic acid/(±)-2- (4-chloro-2-methylphenoxy)propionic acid
MCPB	4-(4-chloro-2-methylphenoxy)butyric acid
	4-(4-chloro-2-methylphenoxy)butyric acid/ 4-chloro-2-methylphenoxyacetic acid

Common NameSubstance

mecoprop (±)-2-(4-chloro-2-methylphenoxy)propionic acid

(±)-2-(4-chloro-2-methylphenoxy)propionic acid/  
2,4-dichlorophenoxyacetic acid

(±)-2-(4-chloro-2-methylphenoxy)propionic acid/  
4-hydroxy-3,5-di-iodobenzonitrile

(±)-2-(4-chloro-2-methylphenoxy)propionic acid/  
4-chloro-2-methylphenoxyacetic acid

- metaldehyde

metaldehyde/sodium orthophenylphenate

metam-sodium sodium methyldithiocarbamate

(methyl isothiocyanate) isothiocyanatomethane/  
chloropicrin/1,2-dichloropropane/1,3-dichloropropene/  
ethylene dibromide (1,2-dibromoethane)

(methyl isothiocyanate) isothiocyanatomethane/  
chloropicrin/1,2-dichloropropane/1,3-dichloropropene

(methyl isothiocyanate) isothiocyanatomethane/  
chloropicrin

(methyl isothiocyanate) isothiocyanatomethane/  
1,2-dichloropropane/1,3-dichloropropene

monolinuron 3-(4-chlorophenyl)-1-methoxy-1-methylurea

monuron 3-(4-chlorophenyl)-1,1-dimethylurea

3-(4-chlorophenyl)-1,1-dimethylurea/sodium chlorate/  
2,4-dichlorophenoxyacetic acid

- naphthalene

- alpha-naphthaleneacetic acid (1-naphthylacetic acid)

alpha-naphthaleneacetic acid/N-(trichloromethylthio)-  
3a,4,7,7a-tetrahydrophthalimide

alpha-naphthaleneacetic acid/tetramethylthiuram  
disulphide/beta-indolylbutyric acid

<u>Common Name</u>	<u>Substance</u>
-	naphthoxyacetic acids (naphthyloxyacetic acids)
-	nonanol (3,5,5-trimethylhexan-1-ol)
norbormide	5-(alpha-hydroxy-alpha-2-pyridylbenzyl)-7-(alpha-2-pyridylbenzylidene)norborn-5-ene-2,3-dicarboximide
-	organic thiocyanates
-	organic thiocyanates/tar oils
-	oxalic acid
oxine-copper	Complex of copper and 8-hydroxyquinoline
-	Complex of copper and 8-hydroxyquinoline/tar oils
paraquat	1,1'-dimethyl-4,4'-bipyridylium ion
-	1,1'-dimethyl-4,4'-bipyridylium ion/9,10-dihydro-8a,10a-diazoniaphenanthrene ion
-	petroleum oils
-	(phenothiazine dibenzo-1,4-thiazine thiodiphenylamine)
-	8-phenylmercurioxyquinoline
-	phenylmercury nitrate
-	phenylmercury nitrate/ethylmercury chloride
-	piperonyl butoxide (5-[2-(2-butoxyethoxy)ethoxymethyl]-6-propyl-1,3-benzodioxole)
-	piperonyl butoxide/pyrethrins
-	potassium permanganate

<u>Common Name</u>	<u>Substance</u>
-	pyrethrins
	pyrethrins/piperonyl butoxide
-	quassia
quintozene	pentachloronitrobenzene
	rotenone/pentachloronitrobenzene/iron sulphate
-	salicylanilide
simazine	2-chloro-4,6-bisethylamino-1,3,5-triazine
-	sodium carbonate
-	sodium chlorate
	sodium chlorate/2,4-dichlorophenoxyacetic acid/ 3-(4-chlorophenyl)-1,1-dimethylurea
-	sodium chloride
-	sodium metabisulphite
-	sodium monochloroacetate
-	sodium tetraborate (borax)
-	(sodium o-phenylphenate sodium orthophenylphenate
	sodium orthophenylphenate/metalddehyde
-	sulphaquinoxaline
	sulphaquinoxaline/3-(alpha-acetonylbenzyl)- 4-hydroxycoumarin
-	sulphur

<u>Common Name</u>	<u>Substance</u>
2,4,5-T	2,4,5-trichlorophenoxyacetic acid
	2,4,5-trichlorophenoxyacetic acid/ 2,4-dichlorophenoxyacetic acid
-	tar oils
	tar oils/organic thiocyanates
	tar oils/Complex of copper and 8-hydroxyquinoline
-	tetrachloroethane
	tetramethylthiuram disulphide/beta-indolylbutyric acid/ alpha-naphthaleneacetic acid
-	tributyltin oxide
	tributyltin oxide/formaldehyde
-	tri-sodium orthophosphate
-	zinc sulphate
warfarin	3-(alpha-acetonylbenzyl)-4-hydroxycoumarin
	3-(alpha-acetonylbenzyl)-4-hydroxycoumarin/ sulphaquinoxaline

PART II

Poisonous substances which under paragraph 2 (2) may be applied on any land for any purpose other than a purpose connected with the growing of consumable produce

<u>Common Name</u>	<u>Substance</u>
azinphos-methyl	S-(3,4-dihydro-4-oxobenzo[ <u>d</u> ]-[1,2,3]-triazin-3-ylmethyl) dimethyl phosphorothiolothionate
	azobenzene/diethyl 4-nitrophenyl phosphorothionate
	azobenzene/bis- <u>OO</u> -diethylphosphorothionic anhydride
gamma-BHC	gamma-isomer of BHC
	gamma-isomer of BHC/4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate
	gamma-isomer of BHC/ <u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide
	gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide/ <u>S</u> -[1,2-di(ethoxycarbonyl ethyl)] dimethyl phosphorothiolothionate
	gamma-isomer of BHC/technical dichlorodiphenyl-trichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
	gamma-isomer of BHC/ <u>S</u> -(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate
	gamma-isomer of BHC/piperonyl butoxide/pyrethrins
	gamma-isomer of BHC/pyrethrins
	gamma-isomer of BHC/rotenone/tetramethylthiuram disulphide
	gamma-isomer of BHC/1,2,4,5-tetrachloro-3-nitrobenzene
gamma-isomer of BHC/tetramethylthiuram disulphide	

<u>Common Name</u>	<u>Substance</u>
binapacryl	2,4-dinitro-6-s-butylphenyl 3-methylcrotonate
bromophos	4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate
	4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate/ gamma-isomer of BHC
captafol	<u>N</u> -(1,1,2,2-tetrachloroethylthio)-3a,4,7,7a- tetrahydrophthalimide
	<u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/ gamma-isomer of BHC
	<u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide/ a mixture of dinocap-4 and dinocap-6
carbaryl	1-naphthyl methylcarbamate
	4-chlorobenzyl 4-chlorophenyl sulphide/S- $\int$ 1,2- di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate/ gamma-isomer of BHC
	4-chlorophenyl 4-chlorobenzenesulphonate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/S- $\int$ 1,2- di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate
	4-chlorophenyl 4-chlorobenzenesulphonate/S- $\int$ 1,2- di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate
	4-chlorophenyl 4-chlorobenzenesulphonate/diethyl 4-nitrophenyl phosphorothionate
chlorfenvinphos	2-chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate
chlorobenzilate	ethyl 4,4'-dichlorobenzilate
chlorpropham	isopropyl 3-chlorophenylcarbamate
	isopropyl 3-chlorophenylcarbamate/1,1-dimethyl-3- phenylurea
	isopropyl 3-chlorophenylcarbamate/1,1-dimethyl-3- phenylurea/isopropyl phenylcarbamate
	isopropyl 3-chlorophenylcarbamate/2-chloroallyl diethyldithiolcarbamate

<u>Common Name</u>	<u>Substance</u>
DDT	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ gamma-isomer of BHC
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/4-chlorophenyl 4-chlorobenzenesulphonate
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>N</u> -(trichloromethylthio)phthalimide/petroleum oils
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ petroleum oils/tetramethylthiuram disulphide
demeton-methyl	a mixture of demeton-O-methyl and demeton-S-methyl
demeton-S-methyl	<u>S</u> -[2-(ethylthio)ethyl] dimethyl phosphorothiolate
desmetryne	2-isopropylamino-4-methylamino-6-methylthio- 1,3,5-triazine

<u>Common Name</u>	<u>Substance</u>
diazinon	diethyl 2-isopropyl-6-methyl-4-pyrimidinyl phosphorothionate
dichlofluanid	<u>N'</u> -dichlorofluoromethylthio- <u>NN</u> -dimethyl- <u>N'</u> phenylsulphamide
dichlorvos	2,2-dichlorovinyl dimethyl phosphate
dicofol	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol  2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - $\int$ 1,2-di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate  2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - $\int$ 1,2-di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates  2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/ <u>S</u> - $\int$ 1,2-di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate/manganese ethylenebisdithiocarbamate (polymeric)
dimethoate	dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate  dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates  dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/ <u>S</u> - $\int$ 1,2-di(ethoxycarbonyl)ethyl $\int$ dimethyl phosphorothiolothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
-	<u>N</u> -dimethylaminosuccinamic acid
dinobuton	2-s-butyl-4,6-dinitrophenyl isopropyl carbonate
dinocap	a mixture of dinocap-4 and dinocap-6  a mixture of dinocap-4 and dinocap-6/ <u>N</u> -(trichloromethylthio)-3a,4,7,7a-tetrahydrophthalimide

<u>Common Name</u>	<u>Substance</u>
	a mixture of dinocap-4 and dinocap-6/ <u>N</u> -(trichloromethylthio)phthalimide
	a mixture of dinocap-4 and dinocap-6/zinc ethylenebisdithiocarbamate (polymeric)
dinoseb	2,4-dinitro-6- <i>s</i> -butylphenol
dodemorph acetate	4-cyclododecyl-2,6-dimethylmorpholine acetate
drazoxolon	4-(2-chlorophenylhydrazono)-3-methyl-5-isoxazolone
EPTC	<u>S</u> -ethyl dipropylthiocarbamate
fentin hydroxide	triphenyltin hydroxide
	1,1-dimethyl-3-phenylurea/isopropyl 3-chlorophenylcarbamate
	1,1-dimethyl-3-phenylurea/isopropyl phenylcarbamate/ isopropyl 3-chlorophenylcarbamate
folpet	<u>N</u> -(trichloromethylthio)phthalimide
	<u>N</u> -(trichloromethylthio)phthalimide/petroleum oils/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates
	<u>N</u> -(trichloromethylthio)phthalimide/a mixture of dinocap-4 and dinocap-6
formothion	<u>S</u> -( <u>N</u> -formyl- <u>N</u> -methylcarbamoylmethyl) dimethyl phosphorothiolothionate
malathion	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/gamma-isomer of BHC/ 4-chlorobenzyl 4-chlorophenyl sulphide
	<u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/4-chlorophenyl 4-chlorobenzenesulphonate

	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/4-chlorophenyl 4-chlorobenzenesulphonate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/dimethyl S-(N-methylcarbamoylmethyl) phosphorothiothionate</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/manganese ethylenebisdithiocarbamate (polymeric)/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/rotenone/sulphur/zinc ethylenebisdithiocarbamate (polymeric)</p>
	<p>S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiothionate/2,4,4',5-tetrachlorodiphenyl sulphone</p>
mancozeb	<p>Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc</p> <p>Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc/zinc ethylenebisdithiocarbamate (polymeric)</p>
maneb	<p>manganese ethylenebisdithiocarbamate (polymeric)</p>

manganese ethylenebisdithiocarbamate (polymeric)/  
2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/  
S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl  
phosphorothiolothionate

mecarbam S-(N-ethoxycarbonyl-N-methylcarbamoylmethyl)  
diethyl phosphorothiolothionate

menazon S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl  
phosphorothiolothionate

S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl  
phosphorothiolothionate/gamma-isomer of BHC

- mercurous chloride (calomel)

methiocarb 3,5-dimethyl-4-methylthiophenyl methylcarbamate

- methyl 1-(butylcarbamoyl)-2-benzimidazolecarbamate

nabam disodium ethylenebisdithiocarbamate

naled 1,2-dibromo-2,2-dichloroethyl dimethyl phosphate

- nicotine

nitrofen 2,4-dichloro-4'-nitrodiphenyl ether

oxydemeton-methyl S-[2-(ethylsulphinyl)ethyl] dimethyl  
phosphorothiolate

parathion diethyl 4-nitrophenyl phosphorothionate

diethyl 4-nitrophenyl phosphorothionate/azobenzene

diethyl 4-nitrophenyl phosphorothionate/4-chlorophenyl  
4-chlorobenzenesulphonate

diethyl 4-nitrophenyl phosphorothionate/2,4,4',5-  
tetrachlorodiphenyl sulphone

petroleum oils/technical dichlorodiphenyltrichloroethane,  
a complex chemical mixture, in which pp'-DDT predominates/  
N-(trichloromethylthio)phthalimide

petroleum oils/tetramethylthiuram disulphide/technical  
dichlorodiphenyltrichloroethane, a complex chemical  
mixture, in which pp'-DDT predominates

<u>Common Name</u>	<u>Substance</u>
-	phenylmercury salicylate
phorate	diethyl <u>S</u> -(ethylthiomethyl) phosphorothiolothionate
	piperonyl butoxide/pyrethrins/gamma-isomer of BHC
	piperonyl butoxide/pyrethrins/rotenone
propachlor	2'-chloro- <u>N</u> -isopropylacetanilide
propham	isopropyl phenylcarbamate
	isopropyl phenylcarbamate/isopropyl 3-chlorophenylcarbamate/ 1,1-dimethyl-3-phenylurea
	pyrethrins/gamma-isomer of BHC
	pyrethrins/gamma-isomer of BHC/piperonyl butoxide
	pyrethrins/rotenone
	pyrethrins/rotenone/piperonyl butoxide
quinomethionate	6-methyl-2-oxo-1,3-dithiolo[4,5- <u>b</u> ]quinoxaline
-	rotenone
	rotenone/tetramethylthiuram disulphide/gamma-isomer of BHC
	rotenone/sulphur/zinc ethylenebisdithiocarbamate (polymeric)/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate
	rotenone/piperonyl butoxide/pyrethrins
	rotenone/pyrethrins
sulfallate	2-chloroallyl diethyldithiolcarbamate
	2-chloroallyl diethyldithiolcarbamate/isopropyl 3-chlorophenylcarbamate

<u>Common Name</u>	<u>Substance</u>
sulfotep	bis- <u>00</u> -diethylphosphorothionic anhydride
	bis- <u>00</u> -diethylphosphorothionic anhydride/azobenzene
	sulphur/zinc ethylenebisdithiocarbamate (polymeric)/ <u>S</u> - <u>1,2</u> -di(ethoxycarbonyl)ethyl <u>7</u> dimethyl phosphorothiolothionate/rotenone
tecnazene	1,2,4,5-tetrachloro-3-nitrobenzene
	1,2,4,5-tetrachloro-3-nitrobenzene/gamma-isomer of BHC
-	tetrachloroisophthalonitrile
tetradifon	2,4,4',5-tetrachlorodiphenyl sulphone
	2,4,4',5-tetrachlorodiphenyl sulphone/ <u>S</u> - <u>1,2</u> - di(ethoxycarbonyl)ethyl <u>7</u> dimethyl phosphorothiolothionate
	2,4,4',5-tetrachlorodiphenyl sulphone/diethyl 4-nitrophenyl phosphorothionate
-	2-(4-thiazolyl)benzimidazole
thiram	tetramethylthiuram disulphide
	tetramethylthiuram disulphide/gamma-isomer of BHC
	tetramethylthiuram disulphide/gamma-isomer of BHC/ rotenone
	tetramethylthiuram disulphide/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/petroleum oils
	tetramethylthiuram disulphide/zinc ethylenebisdithiocarbamate (polymeric)
trichlorphon	dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate
trifluralin	2,6-dinitro- <u>NN</u> -dipropyl-4-trifluoromethylaniline

<u>Common Name</u>	<u>Substance</u>
zineb	zinc ethylenebisdithiocarbamate (polymeric)
	zinc ethylenebisdithiocarbamate (polymeric)/ a mixture of dinocap-4 and dinocap-6
	zinc ethylenebisdithiocarbamate (polymeric)/ <u>S</u> -[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/rotenone/sulphur
	zinc ethylenebisdithiocarbamate (polymeric)/ Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc
	zinc ethylenebisdithiocarbamate (polymeric)/ tetramethylthiuram disulphide

PART III

Poisonous substances which may be applied, subject to restrictions, in connection with the growing of consumable produce

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	azobenzene/diethyl 4-nitrophenyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours
	azobenzene/bis- <u>OO</u> -diethylphosphorothionic anhydride	Grown under glass	Smoke	Up to 1.0 g. sulfotep active ingredient per 1,000 cubic feet of glasshouse space	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
gamma-BHC	gamma-isomer of BHC		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate	Tomatoes (under glass) Lettuce (under glass)	Smoke		48 hours
	gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide/S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate  gamma-isomer of BHC/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	gamma-isomer of BHC/S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate		Spray		3 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	gamma-isomer of BHC/piperonyl butoxide/ pyrethrins  gamma-isomer of BHC/pyrethrins		Aerosol		48 hours
	gamma-isomer of BHC/rotenone/ tetramethylthiuram disulphide	Grown under glass	Spray		October to March } 4 weeks April to September } 2 weeks
			Spray		2 weeks
	gamma-isomer of BHC/1,2,4,5-tetrachloro- 3-nitrobenzene		Smoke		48 hours
bromophos	4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate  4-bromo-2,5-dichlorophenyl dimethyl phosphorothionate/gamma-isomer of BHC	Tomatoes (under glass) Lettuce (under glass)	Smoke		48 hours
captafol	N-(1,1,2,2-tetrachloroethylthio)- 3a,4,7,7a-tetrahydrophthalimide	Tomatoes (under glass)	Soil application		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	4-chlorobenzyl 4-chlorophenyl sulphide/ S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate/gamma-isomer of BHC		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	4-chlorophenyl 4-chlorobenzenesulphonate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate		Aerosol Spray		48 hours 2 weeks
	4-chlorophenyl 4-chlorobenzenesulphonate/ S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate		Aerosol Spray		48 hours
	4-chlorophenyl 4-chlorobenzenesulphonate/ diethyl 4-nitrophenyl phosphorothionate	Tomatoes Cucumbers	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
		Tomatoes Cucumbers	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
chlorfenvinphos	2-chloro-1-(2,4-dichlorophenyl)vinyl diethyl phosphate	Brassicas Carrots Onions	Granules Spray	32 ozs. active ingredient per acre, per season	3 weeks
chlorobenzilate	ethyl 4,4'-dichlorobenzilate		Spray		3 weeks
chlorpropham	isopropyl 3-chlorophenylcarbamate	Lettuce Onions Leeks Carrots	Granules Spray		
	isopropyl 3-chlorophenylcarbamate/ 2-chloroallyl diethyldithiolcarbamate	Lettuce	Spray		
DDT	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates		Aerosol Dust Spray		48 hours 2 weeks 2 weeks
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>gamma</u> -isomer of BHC		Smoke		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>S</u> - <u>1,2</u> -di(ethoxycarbonyl)ethyl / dimethyl phosphorothiolothionate/ <u>4</u> -chlorophenyl 4-chlorobenzenesulphonate		Aerosol Spray		48 hours 2 weeks
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/ <u>2,2,2</u> -trichloro- <u>1,1</u> -di-( <u>4</u> -chlorophenyl)ethanol/ <u>S</u> - <u>1,2</u> -di(ethoxycarbonyl)ethyl / dimethyl phosphorothiolothionate				
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate	Grown under glass	Spray		November } to } 4 February } weeks
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which <u>pp'</u> -DDT predominates/dimethyl <u>S</u> -( <u>N</u> -methylcarbamoylmethyl) phosphorothiolothionate/ <u>S</u> - <u>1,2</u> -di(ethoxycarbonyl)ethyl / dimethyl phosphorothiolothionate				March } to } 2 October } weeks
			Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period rec to elapse harvest:
	technical dichlorodiphenyltrichloroethane, a complex chemical mixture in which pp'-DDT predominates/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate		Aerosol Spray		48 hours 2 weeks
demeton-methyl	a mixture of demeton-O-methyl and demeton-S-methyl		Spray		3 weeks
demeton-S-methyl	S-2-(ethylthio)ethyl dimethyl phosphorothiolate	Tomatoes (under glass) Brassicac	Spray Soil application Spray	Application during period April to September only	3 weeks 6 weeks 3 weeks
desmetryne	2-isopropylamino-4-methylamino-6-methylthio-1,3,5-triazine		Spray		6 weeks
diazinon	diethyl 2-isopropyl-6-methyl-4-pyrimidinyl phosphorothionate	Tomatoes (under glass) Cucumbers (under glass)	Aerosol Dust Granules Spray Smoke		48 hours 48 hours 2 weeks 2 weeks 48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
dichlofluanid	N'-dichlorofluoromethylthio-N,N-dimethyl-N'-phenylsulphamide	Lettuce (under glass)	Dust		3 weeks
		Blackberries Blackcurrants Gooseberries Loganberries Raspberries Strawberries Cauliflowers (under glass)	Spray		3 weeks
dichlorvos	2,2-dichlorovinyl dimethyl phosphate		Aerosol Spray		48 hours
dicofol	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol	Grown under glass	Aerosol Spray		48 hours
		Apples Pears Strawberries	Spray		7 days
	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates		Aerosol Spray		48 hours 2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate	Grown under glass	Aerosol Spray		48 hours
	2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate/manganese ethylenebisdithiocarbamate (polymeric)	Apples Pears Strawberries	Spray		7 days
dimethoate	dimethyl S-(N-methylcarbamoylmethyl) phosphorothiolothionate	Tomatoes (under glass)	Aerosol Spray		7 days
		Lettuce (under glass)	Aerosol Spray		November to February } 4 weeks March to October } 7 days
			Spray		7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<p>dimethyl S-(N-methylcarbamoylmethyl) phosphorothioothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p> <p>dimethyl S-(N-methylcarbamoylmethyl) phosphorothioothionate/S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothioothionate/technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p>	Grown under glass	Spray		<p>November to February } 4 weeks</p> <p>March to October } 2 weeks</p>
			Spray		2 weeks
dinocap	a mixture of dinocap-4 and dinocap-6	Grown under glass	Aerosol Dust Spray Smoke		48 hours
			Spray		7 days
dinoseb	2,4-dinitro-6-s-butylphenol		Spray		10 days
EPTC	S-ethyl dipropylthiocarbamate	Potatoes	Spray		

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
fentin hydroxide	triphenyltin hydroxide	Potatoes	Spray	4 ozs. active ingredient per acre, per season	
formothion	S-(N-formyl-N-methylcarbamoylmethyl) dimethyl phosphorothiolothionate		Spray		7 days
malathion	S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate		Aerosol Dust Spray Smoke		48 hours
	S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/ gamma-isomer of BHC/4-chlorobenzyl 4-chlorophenyl sulphide		Aerosol Dust Spray Smoke		48 hours 2 weeks 2 weeks 48 hours
	S-[1,2-di(ethoxycarbonyl)ethyl] dimethyl phosphorothiolothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate		Aerosol Spray		48 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	<p>S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p> <p>S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol</p> <p>S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates</p>		Aerosol Spray		48 hours 2 weeks
	<p>S-1,2-di(ethoxycarbonyl)ethyl dimethyl phosphorothiothionate/ technical dichlorodiphenyltrichloroethane, a complex chemical mixture, in which pp'-DDT predominates/dimethyl S-(N-methylcarbamoylmethyl) phosphorothiothionate</p>	Grown under glass	Spray		November ) to        ) 4 February    ) weeks March        ) to        ) 2 October     ) weeks
			Spray		2 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	S-[1,2-di(ethoxycarbonyl)ethyl]-dimethyl phosphorothiothionate/ 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol	Grown under glass  Apples Pears Strawberries	Aerosol Spray Spray		48 hours  7 days
	S-[1,2-di(ethoxycarbonyl)ethyl]-dimethyl phosphorothiothionate/ 2,2,2-trichloro-1,1-di-(4-chlorophenyl)ethanol/manganese ethylenebisdithiocarbamate (polymeric)				
	S-[1,2-di(ethoxycarbonyl)ethyl]-dimethyl phosphorothiothionate/ 2,4,4',5-tetrachlorodiphenyl sulphone	Grown under glass	Smoke		48 hours
mancozeb	Complex of zinc and maneb containing 20% manganese and 2.5% zinc  Complex of zinc and maneb containing 20% manganese and 2.5% zinc/zinc ethylenebisdithiocarbamate (polymeric)	Grown under glass	Aerosol Dust Spray   Dust Spray		48 hours     7 days

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
maneb	manganese ethylenebisdithiocarbamate (polymeric)	Grown under glass	Aerosol Dust Spray		48 hours
			Dust Spray		7 days
	manganese ethylenebisdithiocarbamate (polymeric)/2,2,2-trichloro-1,1-di- (4-chlorophenyl)ethanol/S-1,2- di(ethoxycarbonyl)ethyl dimethyl phosphorothiolothionate	Grown under glass  Apples Pears Strawberries	Aerosol Spray  Spray		48 hours  7 days
menazon	S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate  S-(4,6-diamino-1,3,5-triazin-2-ylmethyl) dimethyl phosphorothiolothionate/ gamma-isomer of BHC		Spray		3 weeks
-	mercurous chloride (calomel)	Onions Brassicas	Dust Spray		

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
methiocarb	3,5-dimethyl-4-methylthiophenyl methylcarbamate		Granules		7 days
-	methyl 1-(butylcarbamoyl)-2- benzimidazolecarbamate		Spray		48 hours
nabam	disodium ethylenebisdithiocarbamate	Grown under glass	Spray		48 hours
			Spray		7 days
naled	1,2-dibromo-2,2-dichloroethyl dimethyl phosphate		Aerosol		48 hours
-	nicotine	Grown under glass	Smoke		24 hours
nitrofen	2,4-dichloro-4'-nitrodiphenyl ether	Brassicas	Spray		6 weeks
oxydemeton- methyl	S- <u>2</u> -(ethylsulphinyl)ethyl <u>7</u> dimethyl phosphorothiolate	Tomatoes (under glass)	Spray		3 weeks
		Brassicas	Spray	Application during period April to September only	3 weeks

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
parathion	diethyl 4-nitrophenyl phosphorothionate	Tomatoes Cucumbers	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
		Tomatoes Cucumbers	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Peas	Spray	One application at 3 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Sugar Beet Fodder Beet Mangolds	Spray	Up to two applications each at 3 ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
parathion (continued)		Tomatoes	Soil application	One application at 6 ozs. active ingredient per 100 gallons of water at planting  <u>OR</u>  Up to three applications each at 2½ ozs. active ingredient per 100 gallons of water, per season	4 weeks
		Cucumbers	Soil application	One application at 1 oz. active ingredient per 100 gallons of water, per season	4 weeks
	diethyl 4-nitrophenyl phosphorothionate/ azobenzene	Tomatoes (under glass) Cucumbers (under glass)	Smoke	Up to five applications each at 4.0 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	diethyl 4-nitrophenyl phosphorothionate/ 4-chlorophenyl 4-chlorobenzenesulphonate	Tomatoes Cucumbers	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours
	diethyl 4-nitrophenyl phosphorothionate/ 2,4,4',5-tetrachlorodiphenyl sulphone	Tomatoes Cucumbers	Spray	Up to three applications each at 2 ozs. active ingredient per 100 gallons of water, per season	4 weeks
-	phenylmercury salicylate	Tomatoes (under glass)	Aerosol	Up to five applications per crop, per season, at intervals of not less than seven days, each at 40 m.g. of organically combined mercury per 1,000 cubic feet of glasshouse space	12 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
phorate	diethyl <u>S</u> -(ethylthiomethyl) phosphorothiolothionate	Brassicas	Granules	32 ozs. active ingredient per acre, per season	6 weeks
		Carrots Parsnips Potatoes	Granules	48 ozs. active ingredient per acre, per season	6 weeks
	piperonyl butoxide/pyrethrins/ gamma-isomer of BHC		Aerosol		48 hours
	piperonyl butoxide/pyrethrins/rotenone		Aerosol Spray		24 hours
propachlor	2'-chloro- <u>N</u> -isopropylacetanilide	Brassicas			
	pyrethrins/gamma-isomer of BHC		Aerosol		48 hours
	pyrethrins/gamma-isomer of BHC/ piperonyl butoxide				

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	pyrethrins/rotenone pyrethrins/rotenone/piperonyl butoxide		Aerosol Spray		24 hours
quinomethionate	6-methyl-2-oxo-1,3-dithiolo[4,5-b]quinoxaline	Tomatoes (under glass) Cucumbers (under glass)	Smoke		48 hours
		Apples Pears	Spray		3 weeks
		Blackcurrants Gooseberries	Spray		2 weeks
		Cucumbers (under glass)	Spray		48 hours
-	rotenone		Aerosol Dust Spray		24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
	rotenone/gamma-isomer of BHC/ tetramethylthiuram disulphide	Grown under glass	Spray		October to March } 4 weeks April to September } 2 weeks
			Spray		2 weeks
	rotenone/pyrethrins  rotenone/piperonyl butoxide/pyrethrins		Aerosol Spray		24 hours
sulfallate	2-chloroallyl diethyldithiolcarbamate	Brassicac Lettuce	Spray		
	2-chloroallyl diethyldithiolcarbamate/ isopropyl 3-chlorophenylcarbamate	Lettuce	Spray		
sulfotep	bis- <u>00</u> -diethylphosphorothionic anhydride  bis- <u>00</u> -diethylphosphorothionic anhydride/ azobenzene	Grown under glass	Smoke	Up to 1.0 g. sulfotep active ingredient per 1,000 cubic feet of glasshouse space	24 hours

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
tecnazene	1,2,4,5-tetrachloro-3-nitrobenzene	Grown under glass	Aerosol Smoke		48 hours
			Dust		
	1,2,4,5-tetrachloro-3-nitrobenzene/ gamma-isomer of BHC	Grown under glass	Smoke		48 hours
-	tetrachloroisophthalonitrile	Grown under glass	Smoke		48 hours
		Potatoes	Spray		
tetradifon	2,4,4',5-tetrachlorodiphenyl sulphone		Aerosol Spray Smoke		24 hours
	2,4,4',5-tetrachlorodiphenyl sulphone/ S-1,2-di(ethoxycarbonyl)ethyl/ dimethyl phosphorothiothionate	Grown under glass	Smoke		48 hours

(1)	(2)	(3)	(4)	(5)	(6)
Common Name	Substance	Description of produce	Method of application	Rate and frequency of application	Period required to elapse before harvesting
2,4,4',5-tetrachlorodiphenyl sulphone/ diethyl 4-nitrophenyl phosphorothionate	Tomatoes Cucumbers	Aerosol	Up to five applications each at 1.4 g. active ingredient per 1,000 cubic feet of glasshouse space, per season	48 hours	
					Tomatoes Cucumbers

(1) Common Name	(2) Substance	(3) Description of produce	(4) Method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
thiram	tetramethylthiuram disulphide	Grown under glass	Aerosol		October to March } 4 weeks
	tetramethylthiuram disulphide/zinc ethylenebisdithiocarbamate (polymeric)		Dust		} 4 weeks
			Spray		April to September } 7 days
			Dust		7 days
	tetramethylthiuram disulphide/gamma-isomer of BHC/rotenone	Grown under glass	Spray		October to March } 4 weeks
					April to September } 2 weeks
			Spray		2 weeks
trichlorphon	dimethyl 2,2,2-trichloro-1-hydroxyethylphosphonate		Dust		48 hours
			Spray		

(1) Common Name	(2) Substance	(3) Description of produce	(4) method of application	(5) Rate and frequency of application	(6) Period required to elapse before harvesting
trifluralin	2,6-dinitro- <u>NN</u> -dipropyl-4- trifluoromethylaniline	Brassicac Potatoes	Spray	One application at 24 ozs. active ingredient per acre, before planting	
zineb	zinc ethylenebisdithiocarbamate (polymeric)  zinc ethylenebisdithiocarbamate (polymeric)/ Complex of zinc and <u>maneb</u> containing 20% manganese and 2.5% zinc	Grown under glass	Aerosol Dust Spray  Dust Spray		48 hours  7 days
	zinc ethylenebisdithiocarbamate (polymeric)/ tetramethylthiuram disulphide	Grown under glass	Aerosol Dust Spray  Dust Spray		October to March } 4 weeks April to September } 7 days  7 days
Labour Office, Grange House, GUERNSEY. <u>8th May, 1970.</u>					